


The Health of the Population

17th February 2026

GM Joint Health Scrutiny

**Greater
Manchester
Integrated Care
Partnership**






People in GM have shorter lives than the national average

Source: <https://prod-uk-a.online.tableau.com/#/site/nhsgm/views/LifeExpectancyUpdated2022-24/LifeExpectancyatbirth?iid=2>


Life Expectancy at Birth - Males



Covid-19 had an adverse impact, but LE has begun to return to trend

Source: <https://prod-uk-a.online.tableau.com/#/site/nhsgm/views/LifeExpectancyUpdated2022-24/LifeExpectancyatbirth?:iid=2>

Life Expectancy at Birth - Females



Covid-19 had an adverse impact, but LE has begun to return to trend

Source: <https://prod-uk-a.online.tableau.com/#/site/nhsgm/views/LifeExpectancyUpdated2022-24/LifeExpectancyatbirth?iid=2>

Age Standardised Mortality Rates

Control Panel

Select Organisation

Greater Manchester

Cause of Death

Mortality from all causes

Select Sex

- All
- Female
- Male


Select Age Group

- 0-74
- All


Selected LA Legend

- True
- False


Mortality from all causes - Greater Manchester




Latest Mortality from all causes for each Local Authority: 2023-25



Mortality from all causes for each Local Authority






People in GM spend less of their life in good health.

Source: <https://prod-uk-a.online.tableau.com/#/site/nhsgm/views/LifeExpectancyUpdated2022-24/HealthyLifeExpectancyatbirth?:iid=2>


Healthy Life Expectancy at Birth - Males



People in GM spend less of their life in good health.

Source: <https://prod-uk-a.online.tableau.com/#/site/nhsgm/views/LifeExpectancyUpdated2022-24/HealthyLifeExpectancyatbirth?:iid=2>

Healthy Life Expectancy at Birth - Females



People in GM spend less of their life in good health.

Source: <https://prod-uk-a.online.tableau.com/#/site/nhsgm/views/LifeExpectancyUpdated2022-24/HealthyLifeExpectancyatbirth?:iid=2>

The Correlation between Life Expectancy at Birth and Deprivation

Select Sex
Male

Correlation: Life expectancy at Birth for Males vs English Indices of Deprivation, 2025



Deprivation has an enormous impact

Source: <https://prod-uk-a.online.tableau.com/#/site/nhsgm/views/LifeExpectancyUpdated2022-24/LifeExpectancyCorrelation?:iid=2>

The Correlation between Life Expectancy at Birth and Deprivation

Select Sex
Female


Correlation: Life expectancy at Birth for Females vs English Indices of Deprivation, 2025



Deprivation has an enormous impact

Source: <https://prod-uk-a.online.tableau.com/#/site/nhsgm/views/LifeExpectancyUpdated2022-24/LifeExpectancyCorrelation?:iid=2>

...and GM has a disproportionate amount of deprivation



40.7% of Manchester LSOAs are within the most deprived decile.

Stockport has both the most deprived and the least deprived LSOAs in GM.

Worse than Average or Target

Better than Average or Target

Improved

- Life expectancy at birth (male)
- Life expectancy at birth (female)
- Life expectancy at 65 (Male)
- Life expectancy at 65 (Female)
- Under 75 avoidable mortality rate
- Under 75 mortality rate from causes considered preventable
- Smoking Prevalence in adults (aged 18 and over) (%)
- % of children achieving a good level of development at the end of reception
- Reception prevalence of overweight (including obesity) (%)
- Year 6 prevalence of overweight (including obesity) (%)
- Percentage of physically active children and young people (%)
- Percentage of physically active adults (%)
- Under 75 mortality from cancer
- Percentage of cancers diagnosed at stages 1 and 2
- Cancer screening coverage: breast cancer
- Cancer screening coverage: cervical cancer (25 to 49 years old)
- % of 5-year-olds with experience of visually obvious dental decay
- Under 75 mortality rate from liver disease

- Under 75 mortality rate from liver disease considered preventable
- Hospital Admissions for violence (including sexual violence) offences per 1,000 population
- Sexual offences per 1,000 population
- Emergency Hospital Admissions for Intentional Self Harm
- Hospital admissions caused by unintentional and deliberate injuries in children (aged 0 to 14 years)
- Hospital admissions caused by unintentional and deliberate injuries in children (aged 0 to 4 years)
- Abdominal Aortic Aneurysm Screening Coverage
- Emergency hospital admissions due to falls in people aged 65+
- Air pollution: Estimated fraction of mortality attributable to particulate air pollution
- Fuel poverty (low income, low energy efficiency methodology)
- Total prescribed LARC excluding injections rate / 1,000
- Chlamydia detection rate per 100,000 aged 15 to 24 years
- HIV late diagnosis in people first diagnosed with HIV in the UK
- Proportion of drug sensitive TB notifications who had completed a full course of treatment by 12 months

- Smoking status at time of delivery (%)
- Homelessness: households in temporary accommodation
- Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15 to 24 years)
- Estimated dementia diagnosis rate (aged 65 and older)

Worsened

- Under 75 mortality from cardiovascular disease
- Under 75 mortality from respiratory disease
- Under 75 treatable mortality rate
- Low birth weight of term babies
- Infant mortality rate
- MMR (one dose at 2 years)
- MMR (two doses at 5 years)
- Children in absolute low-income families (u16s)
- Children in relative low-income families (u16s)
- Under 18s conception rate
- Overweight (including obesity) prevalence in adults (%)
- Diabetes QOF Prevalence
- Deaths from drug misuse
- Alcohol Specific Mortality

- TB incidence (three-year average)
- Cancer screening coverage: cervical cancer (50 to 64 years old)
- Cancer screening coverage: bowel cancer
- Percentage of people in employment (Male)
- Percentage of people in employment (Female)
- Homelessness: Households owed a duty under the Homelessness Reduction Act
- Percentage reporting a long term Musculoskeletal (MSK) problem
- Mortality rate from a range of specified communicable diseases, including influenza
- Suicide rate
- Sickness absence % of employees who had at least one day off in the previous week

- Hospital admissions for alcohol related conditions (Narrow)
- Emergency readmissions within 30 days of discharge from hospital
- Sickness absence: the percentage of working days lost due to sickness absence

Emerging Stories from the Quadrant Analysis

Where we have undertaken evidence-based and comprehensive action, we can see a demonstrable improvement in key metrics (i.e. Smoking; Dementia Diagnosis; Physical Activity; 0-5 Oral Health; Violence; HIV; Fuel Poverty; Demand Management).

There are some clusters of metrics that point us towards areas that we might want to place greater emphasis:

- Children and young people during pregnancy and early years, particularly in the context of increased exposure to poverty and deprivation.
 - People who are experiencing “*lives (and deaths) of despair*” and the most significant inequalities characterised by alcohol harm; drug misuse, homelessness, communicable disease such as tuberculosis, financial hardship, and severe/multiple deprivation.
 - The opportunity to contribute more fully to economic growth and productivity in GM by addressing health-related barriers to employment and sickness absence, and with a particular emphasis on Musculoskeletal (MSK) conditions and Mental Health.
 - Making the most of missed opportunities for (a) preventing the spread of communicable diseases through vaccination, (b) intervening early in non-communicable diseases through screening, and (c) reducing mortality associated with communicable diseases through improved models of care.
- 
- A decorative horizontal bar at the bottom of the slide, consisting of a series of colored segments: blue, orange, red, green, yellow, purple, light blue, red, and yellow.