

Sandwell Council Highway Infrastructure Asset Management Plan

May 2025

Document history

Job number:			Document ref:			
Revision	Purpose description	Originated	Checked	Reviewed	Authorised	Date
Rev 1.0	Highway Infrastructure Asset Management Plan	DR	CC	AW		
Rev 1.1	Addressing Sandwell Council comments	EM	CSC	ACW	EM	11/12/17
Rev 1.2	Refreshed document	Sandwell Council	DH RH KA	BR	BR	01/05/25

Table of contents

Pages

Notice	2
Table of contents	3
Foreword	4
Executive Summary	5
1. Introduction	6-7
2. Legal Framework	8
3. Sandwell's Highway Infrastructure Asset Management Plan (HIAMP)	9-13
4. Highway Infrastructure Asset Management Policy and Strategy	14
5. Levels of Service	15
6. Measuring Performance	16-19
7. Asset Information	20-25
8. Data Management	26
9. Lifecycle Planning	27-29
10. Works Programming	30-36
11. Performance Monitoring	37-38
12. Risk Management	39
13. Risk Based Approach	40-55
14. The Resilient Network	56-57
15. Financial Management and Valuation	58-61
16. Winter Service	61
List of appendices	
Appendix A – Council Strategic Plan Themes	63-87
Appendix B – Performance Management Framework	72-73
Appendix C – Winter Maintenance Gritting Route	74
Appendix D – Defect Categories	75-79

Foreword

If you live, work or pass through Sandwell whether on foot, cycling, using public or personal transport you will use our highway network which constitutes the largest and most visible asset Sandwell Metropolitan Borough Council (Sandwell Council) is responsible for.

A well maintained and managed network that is safe, serviceable and sustainable is one of the key enablers for job creation, encouraging economic growth and supporting local communities. It makes an important contribution to social inclusion, community safety, education, health and wellbeing. The appearance of our streets also helps to shape the character and quality of the local environment in which people live.

Highway Asset Management brings a strategic approach to the management of the highway network to help meet the needs of current and future customer demands. We believe it can bring about significant money savings and service benefits to our highway users whether they are residents, businesses or visitors.

Highway Asset Management is a process of continual development, refinement and improvement and this plan, originally developed around a common framework agreed with other West Midlands Councils, aims to ensure Sandwell's highway infrastructure is well maintained and managed in an efficient, affordable and customer focused way.

With an emphasis on doing more with scarce resources, the Department for Transport (DfT) has sponsored the Highways Maintenance Efficiency Programme (HMEP), a sector led transformation initiative, which is driving the introduction of business-like asset management thinking into highway maintenance.

To help local authorities HMEP published new asset management guidance in 2013 which was used to develop this asset management framework plan. The plan will be further developed using the HMEP guidance and recommendations in the coming years.

Executive Summary

The DfT is challenging local authorities to manage their highways assets more effectively to deliver timely treatments and effective use of scarce resources.

This Highway Infrastructure Asset Management Plan (HIAMP) forms part of a suite of highway asset management documents that have been developed in accordance with best practice asset management guidance, it demonstrates Sandwell's commitment to highway asset management and supports future funding through the DfT Incentive Fund Self-Assessment process.

The highway infrastructure is probably the most visible and valuable asset for which Sandwell Council is responsible. It is used daily by residents, businesses and visitors alike making important contributions to economic growth, social inclusion, community safety, education and health.

This HIAMP sets out how we invest in, manage and operate the highway infrastructure to meet our legal obligations, high public expectations for safe, reliable and convenient travel and the wider transport strategy objectives set out in the West Midlands Strategic Transport Plan 'Movement for Growth' and its associated '2026 Delivery Plan for Transport' document with links to Sandwell Council's corporate vision.

The purpose of asset management is to make how we manage the highway infrastructure more evidence led to support better decision making and to deliver a customer focused highway service in a way that provides improved value for money.

In Sandwell, we recognise the importance of consulting with all stakeholders at the appropriate time to understand their views about the service they expect from the highway network. It is essential to seek the views and opinions of key individuals or organisations to help the council deliver its strategic objectives. Through a greater understanding of the asset base and stakeholder needs the councillors and officers will be better informed to make long term strategic investment decisions in the most efficient, affordable and sustainable manner.

A key function of the HIAMP is to set out how we intend delivering an affordable service with the resources available. Developing lifecycle plans will cover a wide range of activities, from inspections to routine and cyclic maintenance, and include structural maintenance and more substantial refurbishments and improvements to all the Council's highway assets.

The HIAMP sets out financial plans required to deliver the lifecycle activities. The financial plans provide an indication of the level of investment that is required to deliver the agreed level of service for the critical assets. It is also fully recognised that there are considerable pressures on public finances which impact on these financial plans. Thus, maintenance strategies have been developed for the critical assets to make best use of the available funds and ensure that the highway network remains fit for purpose.

Updating the HIAMP

The Council is committed to continually improving asset management practices and these will be reflected in future periodic reviews and updates of the HIAMP.

1. Introduction

The purpose of the highway maintenance service is the holistic stewardship of the highway embracing both its operational role and its wider contribution to the community. The core objectives of the service are to deliver a highway network that is safe, serviceable and sustainable through sound financial and risk management including arrangements for inspection, standard setting and performance.

The purpose of this HIAMP is to define the Council's policies and methods for maintenance of the Highway Network. This will be aligned to "Well Managed Highway Infrastructure – A Code of Practice" (October 2016) and how Sandwell Council aims to deliver its standards.

This plan also references the HMEP which is a DfT funded, sector-led transformation programme. HMEP provides tools and resources to help manage the transformation of delivery of roads and services through greater efficiencies. Where possible, Sandwell has aligned itself with this programme to improve the condition of the highway network through a sound asset management-based approach to highway maintenance.

1.1. Sandwell's Highway Network

The Council's highway network is over 880 km in length comprising multiple highway infrastructure asset types, such as carriageways, footways, structures (including bridges and retaining walls), traffic signals, traffic signs, highway drainage and street lighting. Sandwell is predominantly urban, consisting of strategic and principal (A) roads, non-principal (B&C) roads, unclassified roads plus a number of rural roads. The highway network is vital to the local economy, and the community. The roads carry high volumes of commercial and private vehicles and for the Council to fulfil its potential, it is important that this network is effectively maintained.

The urban nature of the highway network means that it is in constant demand and must cater for all types of users. The network is crucial for the day-to-day functioning of the Borough; thus, the condition and availability of highway assets is of great importance and value. The Council is committed to ensuring the highway network is maintained in a manner that supports its corporate vision, aims and objectives.

1.2. West Midlands Combined Authority (WMCA)

The WMCA is a partnership between 18 local authorities and other bodies including Local Enterprise Partnerships, the West Midlands Police and Crime Commissioner and West Midlands Fire and Rescue Authority. There are seven constituent local authority members who make up the WMCA Board, one of which is Sandwell Council.

The WMCA was created through a devolution deal in 2016, where central government in Westminster gave the Combined Authority additional powers and money to improve the lives of people in the West Midlands. With a population of three million, the WMCA is the largest combined authority in the UK and the second biggest economic area, after London. Between 2017-2021 the WMCA successfully secured £3.8 billion of investment for the region.

The WMCA developed six aims following the Mayoral election in 2021. They also engaged extensively with our local authority partners, the Young Combined Authority, and other partners to understand our shared areas of focus. These six aims are based on evidence and data about the key challenges in the region, taken from reports such as the State of the Region:

- Promote inclusive economic growth in every corner of the region
- Ensure everyone has the opportunity to benefit
- Connect our communities by delivering transport and unlocking housing and regeneration schemes
- Reduce carbon emissions to net zero and enhance the environment
- Secure new powers and resources from central government
- Develop our organisation and our role as a good regional partner

As a key member of the WMCA, Sandwell is at the heart of boosting business, improving lives and transforming the region's landscape, and with the support of the WMCA, make sure Sandwell receives its share of investment and the wider benefits of devolution.

A Council Plan for 2024 – 2027 has been developed and has been shaped by the consultations that were carried out during 2021 – 2023. It reflects the things that people have told us are important to them and it contains clear goals that the Council will work towards over the next few years. Based on feedback from our stakeholders these centre around four strategic themes. These are:

- Growing up in Sandwell
- Living in Sandwell
- Healthy in Sandwell
- Thriving Economy in Sandwell

This Plan details how we will deliver on these strategic themes and how we will measure our success.

Appendix A highlights how Highways Services and the HIAMP contribute to achieving the goals that have been set.

2. Legal Framework

2.1. Duty of Care for Highway Maintenance

Sandwell Council is the Highway Authority for all adopted highways in the Borough except for motorways - for which National Highways is the Highway Authority. There are no trunk roads in the Borough, therefore any reference to trunk roads is for information only.

Much of our highway maintenance activity is based upon statutory powers and duties contained in legislation and precedents developed over time as a result of case law. It is crucially important that all those involved in highway maintenance, including elected members, have a clear understanding of their powers and duties, and the implications of these. Even in the absence of specific powers and duties, highway authorities have a general duty of care to users and the community to maintain the highway in a condition fit for purpose, as far as is reasonably practicable.

In addition to the duty of care there are several pieces of legislation which provide the basis for powers and duties relating to highway maintenance that are worthy of specific reference:

- Highways Act 1980
 - Section 41 – imposes a duty to maintain a highway which is maintainable at public expense.
 - Section 41 (1A) – imposes a duty to ensure, so far as is reasonably practicable, that safe passage along a highway is not endangered by snow or ice.
 - Section 56 – any person may apply to the Courts for an order requiring the Highway Authority to take remedial action within a reasonable period, specified by the Court.
 - Section 58 – provides for a defence against action relating to alleged failure to maintain on grounds that the authority has taken such care as in all the circumstances was reasonably required to secure that the part of the highway in question was not dangerous for traffic.
- The New Road and Street Works Act 1991
 - Section 53 – highway authorities shall keep a street works register for each street for which they are responsible showing information about current or proposed works.
 - Section 56 – highway authorities have the power to give directions as to the timing of undertakers' work that are likely to cause serious disruption to traffic.
 - Section 59 – highway authorities have a duty to co-ordinate works to minimise inconvenience and disruption, protect the structure of the street and integrity of apparatus and ensure safety for all users.
 - Section 74 – as amended by the Transport Act 2000 requires an undertaker executing works in a maintainable highway to pay a charge where the work is unreasonably prolonged.
- Road Traffic Act 1988
 - Imposes a duty on highway authorities to promote road safety, including accident studies, and to take such measures to reduce the possibilities of accidents when new roads come into use.
- The Traffic Management Act 2004
 - Imposes a duty of network management, principally securing the expeditious movement of traffic including avoiding, eliminating or reducing disruption.

3. Sandwell's Highway Infrastructure Asset Management Plan (HIAMP)

This document is the HIAMP for Sandwell's highway network. It provides a framework for continuous improvement to ensure the highway network is well managed in a cost effective and customer focused way. The HIAMP provides strategic tools to facilitate and underpin value for money savings and service benefits for highway users whether they be residents, businesses or visitors. It will allow the Council to meet the needs of current and future customer demands within the constraints of statutory obligations, customer expectations and funding limitations.

The HIAMP demonstrates how long-term highway infrastructure investment can contribute to the Council's strategic goals. Key to the HIAMP is the development of lifecycle plans for each critical highway asset, financial planning and spending priorities. This HIAMP provides a framework for asset management in Sandwell.

The Council aims to ensure that the most economic options are identified and used for the works programming and funding decisions.

Key elements of the Council's infrastructure asset management approach and set out in this HIAMP include:

- Taking a lifecycle approach to the management of critical infrastructure assets
- Developing cost-effective management strategies for the long term
- Providing affordable levels of service and monitoring service performance
- Managing risks associated with highway infrastructure assets
- Sustainable use of physical resources
- Establishing continuous improvement in asset management practices.

The Council's HIAMP is consistent with the Highway Infrastructure Asset Management Guidance (HIAMG), which is regarded as best practice. The Guidance makes 14 recommendations and is based around an asset management framework approach to aspire to all the benefits from infrastructure asset management.

3.1. Development of the HIAMP

Sandwell's former Highway Asset Management Plan (HAMP) was based upon the 2004 County Surveyors Society Framework for Highway Asset Management. This updated HIAMP builds upon the HAMP and uses the principles of the UK Roads Liaison Group UKRLG, which is recognised as industry best practice, to achieve a reasonable level of benefit from asset management.

3.2. Scope of the HIAMP

This HIAMP sets out the processes used for the management of the highway infrastructure assets, highlights the present strengths and weaknesses of the current management approach and seeks ways Sandwell can improve its asset management service.

An effective HIAMP requires good quality data, long term programming and whole life costing models, works programming and funding decision processes. Key elements of the Council's HIAMP include the following:

- Policy and Strategy
- Levels of service
- Communications
- Performance Management Framework
- Information and Data
- Lifecycle planning
- Works programming
- Risk Management
- Network Resilience

- Continuous improvement.

3.3. Asset Management Context

The asset management context includes a variety of relevant and influencing factors that need to be taken into consideration when determining the Council's expectations for the highway asset management service. These factors include:

- National transport policy,
- the Council's vision and local transport policies,
- the expectations of stakeholders together with legal and financial constraints.

3.4. Highway Asset Management Framework

The purpose of an asset management framework is to show the structured relationship between the plans, policies, strategies and guidance that inter-relate to highway infrastructure and therefore to asset management. Taking a structured approach to asset management provides a comprehensive understanding of the extent and condition of highway infrastructure assets and a clear methodology for linking goals, aspirations and objectives with levels of service.

The Council has developed the following highway asset management framework for all its activities and processes which are necessary to manage, document, implement and continually improve delivery of its highway infrastructure asset management. The framework (**Fig.1**), which uses the suggested HIAMG format, is summarised below.




Fig 1 Sandwell Council Highway Asset Management Framework

3.4.1. Highway Asset Management Planning

The highway asset management planning sets out the key activities that are undertaken by the Council as part of their highway asset management planning process. These activities include:

- **Highway Infrastructure Asset Management Policy** – the Council’s published commitment to highway infrastructure asset management which provides the link between the corporate vision and objectives and the highway asset management objectives.
- **Highway Infrastructure Asset Management Strategy** – the Council’s published strategy on how the Highway Infrastructure Asset Management Policy will be delivered using the highway asset management framework. It includes all critical assets and the Council’s commitment to continuous improvement.
- **Highway Asset Performance** – the Council’s agreed levels of service and how the performance will be measured, reported and actions taken to drive improvement.
- **Data Management**– the Council’s strategy for highway asset data management and collection, without which informed decisions cannot be made.
- **Lifecycle Planning** – the Council’s lifecycle plans for the critical assets to inform decision makers about optimum investments and impacts when combined with investment scenarios and stakeholders desired levels of service.
- **Works Programmes** – the Council’s programme of works for each highway infrastructure critical asset.

3.4.2. Highway Asset Management Enablers

Highway asset management enablers are the series of supporting activities that facilitate the implementation of the Highway Asset Management Framework. They include:

- **Leadership and Organisation** - organisational highway asset management leadership linking councillors, chief officers, highway asset owners and all highway asset management staff; adoption of a highway asset management culture
- **Risk Management** - effective risk management processes for all critical highway assets
- **Communications** - effective communications with all highway asset management stakeholders; collaborating with all highway asset management stakeholders and suppliers to deliver an effective service
- **Competencies and Training** - staff with appropriate highway asset management competencies and skills within the service
- **Performance Monitoring and Continuous Improvement** - fostering a culture of continuous improvement and innovation in highway asset management practices and in works delivery
- **Highway asset management performance framework** - benchmarking highway asset management best practice with neighbouring highway authorities and striving to be best in class
- **Highway Asset Management Systems** – a clear strategy for managing highway asset data.

3.5. Relationship to other documents

This HIAMP forms part of a suite of asset management documents which are linked and aligned to other key strategic documents. The diagram (**Fig. 2**) below shows the document structure.

The West Midlands Strategic Transport Plan - Movement For Growth, is still the most relevant overarching policy, the document is currently being refreshed and consultation for the revised document and associated strategies is currently being undertaken. Further information can be found following this link <https://www.tfwm.org.uk/who-we-are/our-strategy/local-transport-plan/>




Fig. 2 Document Structure

3.6. Key Stakeholders and Communication

There has been an increasing interest in how local government can improve both its customer focus and customer relations. A key to this is an understanding of what drives customer satisfaction, this would enable the authority to prioritise investment in service improvements based on their likely impact on customer satisfaction. However, this is a difficult task as the improvements the public have experienced in other areas of the private sector has led to rising expectations in the services Sandwell Council provides and therefore there are major challenges in meeting those expectations.

The aim is to provide a positive customer experience by engaging with stakeholders to understand their needs and expectations to determine and review the service provided by highway infrastructure assets and hence the highway asset management activities. The management of highway assets impacts directly on a broad range of stakeholders and users of the network including:

- Residents
- All road users
- Statutory undertakers
- Local businesses
- Visitors/tourists
- Council staff (operational, managerial, executive).

The information generated by a HIAMP is designed to enable greater involvement by all stakeholders in the management of the highway infrastructure. To successfully deliver the highway asset management message it is essential that the council communicates and engages effectively by having in place clear channels of communicating with all stakeholders.

These are key communication engagement priorities for Sandwell Council:

- To use the most effective internal and external channels which meet the needs of all residents and employees
- To focus on promoting the Council's services and how the Council acts to protect Sandwell's present and future interests
- To raise the percentage of the public who feel informed about the Council and have an opportunity to be actively involved in the local democratic processes and community activities.

A Highway Infrastructure Asset Management Communications Strategy has been developed to support the implementation of this HIAMP.

3.7. Highway Network Hierarchy

The highway network hierarchy is the foundation of a coherent, consistent and auditable highway maintenance strategy. The highway network hierarchy is effectively utilised in highway network condition reporting, scheme identification, setting levels of service, inspection regimes and response times. Sandwell Council currently manages the carriageway and footway assets according to hierarchies based on the 2005 "Well Maintained Highways Code of Practice" and detailed in the tables below. However, the 2016 "Well Managed Highway Infrastructure - A Code of Practice" recommends that local authorities adopt a risk-based approach to managing their networks which may include a review of their network hierarchies.

Road Hierarchy		
Category	Hierarchy Type	Type of Road
1	Motorway	Limited access motorway regulations apply
2	Strategic Routes	Trunk and some Principal 'A' roads between Primary Destinations
3a	Main Distributors	Major Urban Network and Inter Primary Links. Short - medium distance traffic
3b	Secondary Distributor	Classified Road (B and C Class) and unclassified urban bus routes carrying local traffic with frontage access and frequent junctions
4a	Link Road	Roads linking between the Main and Secondary Distributor Network with frontage access and frequent junctions
4b	Local Access Road	Roads serving limited numbers of properties carrying only access traffic

Table 1 Road Hierarchy - Note: There are no trunk roads in Sandwell Council

Footway Hierarchy		
Category	Hierarchy Type	Description
1a	Prestige Walking Zones	Very busy areas of towns and cities with high public space and streetscene contribution.
1	Primary Walking Routes	Busy urban shopping and business areas and pedestrian routes
2	Secondary Walking Routes	Medium usage routes through local areas feeding into primary routes, local shopping centres
3	Link Footways	Linking local access footways through urban areas and busy rural footways
4	Local Access Footways	Footways associated with low usage, short estate roads to the main roads and cul-de-sacs.

Table 2 Footway Hierarchy

4. Highway Infrastructure Asset Management Policy and Strategy

4.1. Highway Infrastructure Asset Management Policy

The Sandwell Council Highway Infrastructure Asset Management Policy is a high-level document which establishes the Council's commitment to infrastructure asset management and demonstrates how this approach aligns with the high-level objectives set out in the West Midlands Strategic Transport Plan (WMSTP) – Movement for Growth (MfG) and the Place Directorate's business plan. The Highway Infrastructure Asset Management Policy is a stand-alone document and is published alongside the Highway Infrastructure Asset Management Strategy on the Council's website, thus playing a key role in creating the line of sight between our asset interventions and the overall corporate objectives.

4.2. Highway Infrastructure Asset Management Strategy

The Highway Infrastructure Asset Management Strategy adds detail to the Highway Infrastructure Asset Management Policy and sets out how it will be delivered, focusing on what Sandwell Council plans to do to build its asset management capability. Further definition of these activities and interventions on assets is provided within this document. The Highway Infrastructure Asset Management Strategy is informed by the adoption of a Highway Asset Management Framework which establishes the activities and processes that are necessary to develop, document, implement and continually improve highway asset management within Sandwell Council. The strategy sets out how the Council will best manage the highway network taking into consideration customer needs, local priorities, asset condition, and available resources. Sandwell's Highway Infrastructure Asset Management strategy is available on the Sandwell Council website.

5. Levels of Service

5.1. Introduction

The levels of service set out the standard of highway maintenance Sandwell aim to provide. These are measured and monitored against performance outcomes to determine if these satisfy the expectations of the highway network users. There is a direct link between levels of service, corporate objectives, local transport priorities and funding levels.

5.2. Why use Levels of Service?

It is important to have in place defined levels of service to ensure that decision makers have a basis for making strategic planning decisions about future investment. This in turn leads to the prioritisation of maintenance schemes, establishment of suitable performance measures and a measure of the effectiveness of the Asset Management Strategy.

Highway Services' levels of service will be used:

- to develop highway asset specific strategies to deliver the agreed level of service
- to identify the costs and benefits of the agreed levels of service
- as a measure of the effectiveness of the HIAMP.

Future developments of this HIAMP will seek to consult with customers on the proposed type and level of service to be offered and whether these align with the individual's expectations.

5.3. Current Approach

In defining levels of service, it is not only important to consider the safety, serviceability and sustainability of the asset but other key factors, including:

- Statutory and legal duties
- National, regional and local policy and objectives
- Customer and stakeholder expectations
- Best practice guidelines
- Affordability
- Availability of resources.

Historically the approach has been to use performance indicators (local and national) to measure service delivery. The adoption of these performance indicators allows a greater level of accuracy and sophistication to be applied to asset management performance. These measures show what effect highway maintenance investment has had on service condition. Service delivery is based upon predicated budgets on an asset-by-asset approach, aiming to achieve best value with available funding.

However, in 2023 a new lifecycle model was developed for both carriageways and footways which supports a strategic planning approach. The purpose of the model is to inform senior decision makers about the extent of the carriageway and footway assets maintained by the Council, their current condition and to provide a basis for making strategic planning decisions at a network level about future investment in, and performance of, the carriageway asset. It sets out long term predictions of an assets condition based on different maintenance strategies and funding allocations. The aim is to extend this approach across other asset groups as predictive analysis tools become available to support decision making.

5.4. Development of Levels of Service

This HIAMP contains initial target levels of service for each asset type which have been determined through consultation with highway asset management stakeholders and includes legislative requirements, customer expectations, the Council's corporate goals and objectives, and best practice guidance. Levels of service will vary from asset type to asset type.

The initial levels of service were based on current practice and will be the subject of continuous monitoring and development. Annual reviews will be undertaken to review actual performance against targets.

6. Measuring Performance

6.1. The importance of performance management

Successful asset management delivery requires the ongoing monitoring of performance to ensure that the agreed levels of service are being delivered. Performance management is important to Sandwell Council as it provides the ability to:

- Document the differences between actual and planned performance, and identify the reasons for any differences
- Prioritise and allocate resources effectively
- Ensure value for money
- Motivate and engage staff
- Identify and rectify poor performance at an early stage
- Learn from past performance to help improve future performance
- Increase public satisfaction and help improve services for service users
- Implement action strategies to adapt performance.

6.2. Measuring Performance at Sandwell

The Council has developed a strong performance management framework to support continuous improvement in services. The Chief Executive works closely with Executive Directors to focus on addressing improvement, efficiency and driving better performance in relation to delivery of corporate priorities. In support of this, other lead members and officers are challenged on issues relating to performance.

Delivery of the Council's highway asset management objectives are monitored and actioned through strategic, operational and tactical performance measures as defined in **Table 3** below.

Strategic Measures	Monitor against Council Plan objectives and outcomes	Influence strategic decision makers, Senior Leadership Team and Cabinet, to inform investment decisions
Tactical Measures	Monitor against directorate and highway service objectives and outcomes	Influence directorate leadership team to review and adjust investment priorities and resource requirements
Operational Measures	Monitor against highway service objectives and delivery (contractual) key performance indicators	Influence highway service leadership team to review resource requirements and effective delivery.

Table 3 - Strategic, Operational and Tactical performance measures

6.3. Asset Management Performance Management Framework

Once performance measures and targets to monitor the delivery of the objectives have been determined, it is essential that a Performance Management Framework (PMF) is put in place. This will be the mechanism for evaluating and assessing the level of performance in a clear, consistent, and transparent manner. The current UKRLG Asset Management Guidance (**Fig. 3**) recognises the importance of measuring performance and has provided guidance to support authorities in developing a framework.




Fig. 3 UKRLG Asset Management Guidance - Performance Management Framework

Using the UKRLG guidance as a base, a PMF has been developed for the highway service. The framework builds upon and formalises the existing performance information and reporting. The extract below (**Fig. 4**) shows the components and layout of the PMF. This simple layout shows the direct link between service targets and strategic objectives. The components of the framework are described in the following sections, however the complete framework, with level of service statements and measures, is provided in **Appendix B**.




Fig. 4 Sandwell Council PMF extract

6.3.1. Performance Objectives

The main high level performance objectives that reflect the responsibilities of Highway Services and contribute to the corporate aims, objectives and priorities are:

- Health and Safety
- Customer Satisfaction
- Economy and regeneration
- Sustainability
- Asset condition
- Accessibility.

6.3.2. Level of Service Statements

To suitably direct engineering activities and resources it is necessary to create a meaningful link between the high-level objectives and the performance measures. Therefore, each high-level objective is supported by a level of service statement that enables both overall achievement of the objective and individual aspects of performance to be measured. The level of service statement provides a description of what each objective means in terms of the service to be delivered. The proposed PMF contains a total of 15 service delivery statements across the main high level performance objectives. The level of service statements have been developed from:

- The West Midlands Strategic Transport Plan
- Regeneration & Economy Business Plan 2016/17
- Highway Infrastructure Asset Management Policy and Strategy
- Engagement meetings with Sandwell Council staff
- UKRLG Asset management guidance
- UKRLG Well Managed Highway Infrastructure Code of practice.

6.3.3. Performance Measures

Performance measures are focused on areas of genuine interest to road users and other stakeholders, enabling the level of satisfaction and expectations to be recorded. It would be prudent for performance measures to maximise the use of data that is readily available, minimising the need for collection of additional data. Therefore, the measures will be a combination of existing Sandwell Council performance indicators and new proposed measures.

6.3.4. Performance Targets

A target can be defined as;

“the desired change in a measure that will show progress toward a goal within a specified period of time”.

Strategic vision and aims can be difficult to communicate but by supporting them with a framework of measures and targets it will make them easier to understand. In this way targets form a crucial link between high level objectives, levels of service and day-to-day operations.

Sandwell's performance targets will be:


- **Clear** - By clearly and simply articulating the vision and aims, then it is easier for stakeholders to understand why targets matter
- **Consistent** - Avoid confusion among stakeholders, be consistent in relaying why this target matters, what it is connected to, and how it is going to be achieved
- **Connected** - Provide meaningful connections to day-to-day activities. If they can see themselves contributing, then they are more likely to do so.

For this PMF the targets have yet to be set however consideration is being given to using a combination of both set target values and direction of travel. For example:

Set target values

	Current	Target
Percentage of Category 1 Emergency safety defects made safe / repaired within 2 hours	94%	100%

Direction of travel

	Current	Target
Percentage of Category 1 Emergency safety defects made safe / repaired within 2 hours	94%	

6.3.5. The Performance Cycle

All elements of the PMF are built around the annual performance cycle. Performance is managed through a cyclical arrangement to ensure continuous improvement. The Council routinely reviews performance within the Directorate, this includes tracking progress from the previous quarter, recognising achievements and identifying necessary improvement actions. Performance reports are routinely produced to support strategic decision making.

7. Asset Information

The availability of good quality inventory and condition data is essential for asset management decision making. This requires the collection and maintenance of robust, good quality asset data.

7.1. Types of Data

The following asset data types are required:

- **Asset Inventory:** - information on the quantity, location, size, type, age and key components make up of each asset component
- **Asset Condition:** - quantified and/or observed, a condition rating for a component or whole assets derived from either physical testing, machine based analysis or visual inspection
- **Asset Use:** - information on the use of assets in the form of information such as traffic counts, heavy vehicle routes, road classification etc.

Good asset data is the foundation on which all asset management processes are built; the availability of appropriate asset data allows all staff involved in the process to obtain an overall view and to apply a consistent management approach.

Asset data is required to support the following asset management functions:

- effective monitoring of, and reporting on, the condition of critical infrastructure assets
- life expectancy, before intervention of individual assets or asset components
- asset management levels of service
- asset management performance indicators
- future investment scenarios
- long-term forward works programmes and lifecycle planning
- Valuation assessments for each of the infrastructure assets and any calculation of asset depreciation.

7.2. Current Asset Data

Sandwell like all Highway Authorities holds asset data, the present position with respect to key assets (carriageways, footways, structures, traffic signals, and street lighting) has been assessed as good, however it is recognised that there are gaps in the data, which will need to be addressed. Therefore, as part of the development of the HIAMP a review of the key assets was carried out to establish data availability, appropriateness, reliability and accuracy. This was undertaken through involvement with the Council's highway asset stakeholders. The level of confidence in data was established by assessing the extent and reliability of the data and storage arrangements together with assessment of data criticality to service delivery and asset management planning. The details of this review are provided in an appendix to the asset management strategy. Work to review and update data quality, currency, appropriateness and completeness to support asset management is continuous.

7.3. Inspections and Condition Assessments

An effective regime of inspection, assessment, and recording is a crucial component of asset management. To maintain their integrity, safety, and serviceability, highway assets are inspected and recorded in various ways which include:

- Safety Inspections
- Service Inspections
- Carriageway and Footway Condition Surveys.

All information obtained from inspections and condition assessments, together with the nature of the response, including nil returns are recorded consistently to facilitate analysis.

7.3.1. Safety Inspections

All illuminated street furniture is subject to the following inspection regime:-

- Electrical testing carried out every 6 years
- Structural visual inspection as part of GN22 every 6 years
- Structural testing of steel columns every 5 years unless identified as a higher risk.

At each maintenance or repair visit to all illuminated street furniture a “visual inspection” of the following components is completed:-

- Electrical equipment and wiring
- Visual condition survey of the street lighting column
- The condition of lighting columns protective systems.

For non-Illuminated Traffic Signs and Bollards we are currently collecting inventory data of all these signs, and this is being added to our Asset Management System, Mayrise. Once the data has been collected a condition survey will be undertaken as part of the guidance set out GN22. The primary objective is to keep all signs legible, visible and effective as far as possible. These assets are maintained on a reactive basis resulting from routine inspections, customer reports and accident damage. However, important warning and regulatory signs will be replaced as quickly as possible.

Section 10.3 details current work programmes

7.3.2. Service Inspections

Service inspections are focussed on ensuring that the highway network meets the needs of users. They comprise more detailed specific inspections of highway elements and inspections for regulatory purposes including the New Roads and Streetworks Act (NRSWA). Service inspections are primarily designed to identify deficiencies compromising the reliability, quality, comfort and ease of use of the highway network, from the users' point of view. Although not intended for identifying defects that could potentially compromise user safety, any such defects observed during service inspections should be recorded and dealt with in the same way as for a safety inspection.

7.3.3. Condition Surveys

Increasing financial scrutiny requires the information provided through asset management to produce a rational decision process for capital investment and maintenance. The most critical information for decision makers is an understanding of the condition of the assets today and how well they are performing in relationship to users' expectations. It is critical to know they are functioning as needed, functioning efficiently and the costs of maintaining them.

Sandwell Council currently hold and manage several different types of asset condition information within the Pavement Management System; we intend to build upon this information by adding the newly collected asset inventory data. This will allow us to view and manage all the asset condition and inventory data on a single platform. The benefits of this are:

- Opportunity to link condition assessment with the decision-making process
- Evaluate the impact of all maintenance works
- Improve the modelling of preventative maintenance works
- Define performance measures.

7.3.3.1. Carriageway Condition Assessment

- **SCANNER** (Surface Condition Assessment of the National Network of Roads)
SCANNER surveys are a mandatory requirement for reporting of UKRLG Data Topic 130-01 (formerly national indicator (NI) 168/ best value performance indicator (BVPI) 223), “Condition of principal roads” and UKRLG Data Topic 130-02 (formerly NI 169/BVPI 224a) “Condition of non-principal classified roads”. These surveys are undertaken by a specialist vehicle at traffic speed. The survey collects data on transverse and longitudinal profiles, texture and cracking of the carriageway. The information is both reliable and repeatable giving a consistent survey.
- **Course Visual Inspections (CVI)**
CVI surveys are a fast and efficient way of covering large areas of the network. CVI surveys are carried out from a slow-moving vehicle. They record lengths which have consistent defects rather than a detailed measurement of individual defects.
- **Detailed Visual Inspections (DVI)**
DVI surveys provide a comprehensive, walked inspection that involves the collection of highly detailed inventory and condition data. DVI surveys in Sandwell are mainly used on newly adopted streets or where changes in layout have occurred to update our inventory and collect condition data.
- **GripTester Surveys**
GripTester results are used to identify lengths of carriageway with poor skidding resistance, they are carried out by a vehicle towing a GripTester machine at traffic speed. It is a flexible, accurate and economical way to measure skid resistance on carriageway networks.
- **Gaist Condition Surveys**
Sandwell Council has been using Gaist Solutions to survey our carriageway network since 2019, the surveys are carried by collecting 360° HD imagery of the carriageway network which is then assessed and graded into one of 5 condition grades. This data supports the development of our planned carriageway maintenance programmes and lifecycle modelling.

7.3.3.2. Footways Condition Assessment

The condition of footways will be determined using Footway Network Surveys (FNS). These surveys are nationally recognised and provide information for asset management and valuation purposes.

The FNS surveys record defects in four categories:

- As new
- Aesthetically impaired
- Functionally impaired
- Structurally impaired.

7.3.4. Bridges and structures

Structures include bridges, footbridges, subways, culverts, gantries and retaining walls. Structures inspections exclude all drainage that is defined as a pipe with a diameter or span less than 600mm. At present, all structures on the Sandwell Council highway network are inspected on a regular basis, including those not in the ownership of the Council, based on a duty of care. Retaining walls and structures not owned by Sandwell Council do not receive General or Principal Inspections. Inspections are divided into four categories:

1. Routine Surveillance comprises notification of obvious defects observed during the routine safety inspections of the highways – In addition all highways’ staff are encouraged to be vigilant in travelling around the borough and to report any defects observed. Every 1 month in shopping centres, every 6 months elsewhere

2. General Inspections comprise a visual inspection of all parts of the structure and adjacent elements e.g. earthworks without the need for special access or traffic management arrangements. The frequency is every 2 years except where a structure is identified as sub-standard then the 2 years is reduced to 6 months
3. Principal Inspections comprise of a close examination, within touching distance, of all accessible parts of a structure and adjacent elements utilising special access, traffic management and CCTV where necessary. The frequency is every 6 years as a norm although this may be extended up to 12 years where risk can be managed in accordance with National Highways Interim Advice Note 171/12 – Risk Based Principal Inspection Intervals
4. Special Inspections concentrate on a particular part of a structure in specific circumstances or following certain events: - 1, 3, 6 and 12 monthly or as requested.

These include a programme of bridges to be monitored following an assessment failure or where there is some on-going movement. In addition, there is a programme of inspections where structures are known to be at risk from the effects of scour.

The scour assessment was started in 2019 to BD97/12 'The Assessment of Scour and Other Hydraulic Actions at Highway Structures'. The initial assessment, a paper exercise identified the structures where further actions were required, including inspections. The final assessment and inspection phase was completed between 2021 & 2023.

BD91/12 was superseded by CS459 'Management of scour and other hydraulic actions at highway structures' in April 2024 and any future scour assessments/inspections will be carried out in accordance with the current standard.

7.3.5. Street Lighting and Illuminated Traffic Signs and Bollards

During the inventory data collection refresh in 2013/14 every item of recorded illuminated highway infrastructure was visually inspected. The visual inspection identified structural defects that required prompt attention, these were recorded and prioritised for repair.

At each maintenance or repair visit a visual inspection of the following components is completed: -

- Electrical equipment and wiring
- Visual condition survey of the street lighting column
- The condition of lighting columns protective systems
- The visual structural condition of each lighting column.

The following inspection regime applies: -

- Electrical testing carried out every 6 years
- Structural visual inspection every 6 years
- Structural testing of steel columns every 5 years unless identified as a higher risk.

7.3.6. Non-Illuminated Traffic Signs and Bollards

The primary objective is to keep all signs legible, visible and effective as far as possible. These assets are maintained on a reactive basis resulting from routine inspections, customer reports and accident damage; however, important warning and regulatory signs will be replaced as quickly as possible.

7.3.7. Traffic Signals and ITS equipment

The priority objective is to provide and maintain all traffic signals and controlled pedestrian crossings to a high standard to ensure the safety of all road users and to ensure the efficient operation of the highway network.

Annual inspection of traffic equipment is carried out by the asset contractor with defects managed through the Service Now TRAMMS customer service system. Highway Safety Inspectors provide an overview of condition as part of their routine safety inspections.

7.3.8. Highway Drainage Systems

The effective management of surface water on our road network is essential for safe use by both vehicles and pedestrians. This is principally achieved through a system of highway gullies and drains that discharge into a combination of surface water sewer, watercourses or soakaways.

The Council is also responsible for the maintenance of 4 highway pump stations, located at A41 Underpass West Bromwich, Axletree Way Underpass Wednesbury, Leabrook Road sub-way Wednesbury, and Opus Lidl distribution centre Wednesbury. These pumping stations help manage the risk of flooding at locations below natural ground level such as in subways and underpasses.

The highway drainage inventory for this asset is limited, however there is good inventory for highway gullies. Sandwell Council's Asset Management objective in respect of highway drainage is to:-

- Comply with statutory obligations to maintain a safe and accessible highway
- Deliver excellent customer service
- Define critical or high-risk assets and apply risk-based maintenance programmes.

Sandwell Council has duties and responsibilities under the Flood and Water Management Act as Lead Local Flood Authority (LLFA) which is discharged by Highway Services. The definition adopted for Highway Drainage maintenance under this plan does not include responsibilities as LLFA.

Highway Gullies: -

Sandwell have adopted the use of a drainage management software package, GullySMART. GullySMART represents best practice and is widely used by other Authorities both across the region and nationally.

Sandwell have identified 41,947 unique highway gullies and each is subject to periodic survey and inspection. We have 508 gullies on quarterly or 6 monthly cleansing regimes. These are generally in known 'low' spots or areas of historic flooding.

Highway Gully Prioritisation and Service Standards:

Sandwell currently maintain highway gullies with cleansing being undertaken by Serco as part of the waste management contract 2010-35.

This contract requires Serco to cleanse each gully on a periodic basis depending on a risk-based assessment, support the Council with reported flooding incidents and includes the following service standards and targets:

- Priority 1: Internal flooding, pollution or recovery of lost items = 90minutes.

Target compliance 95%

- Priority 2: External flooding = 4 hours.

Target compliance 98%

- Priority 3: Gully blockage = next day.

Target compliance 95%

Highway Safety Inspectors also provide an overview of condition as part of their routine safety inspections.

Highway Pumping Stations: -

Sandwell maintain four Pumping stations. The pumping stations receive regular maintenance checks, to ensure they are operational, plus any additional repair works that may be identified from these checks. The maintenance regime includes three quarterly and one annual check, 24-hour emergency response, plus additional maintenance works as and when required.

- **Drainage** – Asset lifecycle plans are to be developed by taking account of the recommendations within the HMEP Highway Drainage Assets Guidance document.

7.3.9. Highway Trees

The Council aims to protect and enhance all trees within the Borough of Sandwell in a safe and sustainable way. This is detailed within the Council's Tree Strategy and Implementation Plan 2023 to 2028.

Highway Trees are defined as those trees on adopted highway land.

All established trees within the highway are visually inspected as part of condition surveys to identify obvious potential hazards. Surface damage to carriageways, footways and cycleways, associated with root growth will be recorded as part of Safety or Condition Inspections for those elements. Most of the tree lined streets have trees which are either nearing maturity or have outgrown their location and as such there is a need to plan for their eventual removal and replacement. This needs to be linked to a full tree and condition survey which began in 2024 and will continue into 2025/26.

As a general rule, The Council will not remove healthy trees to resolve tree root related problems unless there are no other sound urban forestry or engineering solution possible, and this is required to ensure the protection of people or property.

8. Data Management

8.1. Current Data Management Practices

Good asset management relies upon good data management. To turn data streams into useful information that can be used within the asset management process there is a need to ensure that data is managed effectively. In the past data was satisfactorily managed using many disparate paper, plan and electronic systems. Whilst this may have been the case, asset management has now brought about an essential need to have an ability to efficiently combine, view and interrogate, large and varied and, at times, complex amounts of data. To do so and to improve and fully integrate the information management of these assets, a partnership with Symology Limited has been established that provides a competitively priced integrated highway management solution, known as Aurora and Insight.

Aurora provides a comprehensive Street Works solution for the management and coordination of activities that could cause network disruption. Seamless integration with DfT Street Manager is provided for organisations operating in England.

The Insight Enterprise solution comprises of a universal set of fully integrated core modules that offers:

- National Street and Property Gazetteer linked multiple network location referencing
- Flexible asset register with comprehensive data warehousing and reporting
- Graphical and GIS capabilities
- Asset condition evaluation and valuation
- Treatment selection and schemes, works contract options, works management processes and works monitoring.

All modules will be transferred onto Aurora by the end of 2025.

The highway network is surveyed routinely using a variety of different methods. Asset data is collected and verified through these methods and new details are identified as part of an ongoing process. For new asset sets that have not previously been collated a specific means of surveying is identified and implemented accordingly. This method allows the quality and integrity of the data to be regularly reviewed and any inaccuracies amended ensuring the overall data quality. This data is further reviewed by maintenance operators that identify changes to assets at a component level which are not necessarily easily seen.

8.2. Data Use

Asset data is required to support the following Sandwell Council activities:-

- Maintaining asset inventory; so that the extent of the highway assets owned by the council is known
- Routine Maintenance management; to enable the council to demonstrate that inspections and repairs are undertaken in accordance with policies
- Customer queries and service requests; to track customer queries and to demonstrate that the council have responded efficiently and appropriately to them
- Performance Reporting; to enable progress and performance to be reported to a range of stakeholders including the collation and dissemination of national and local performance indicators.

The current quality of the Council's asset data is assisting the development of highway asset management practices however, an improvement in asset data management will enable enhancements by providing:

- The ability to predict future needs; enabling better coordinated and more cost-effective plans
- The ability to meet future government requirements for asset valuation
- An understanding of the risks associated with managing the road network.

In simple terms, better data management will enable the council to make more informed decisions about its adopted infrastructure road network and therefore provide a better value service.

9. Lifecycle Planning

9.1. What is Lifecycle Planning?

Lifecycle planning is the approach to the maintenance of an asset from construction to disposal. It is the prediction of future performance of an asset based on investment scenarios, forecast use of the asset and planned service levels. The lifecycle plan is the documented output from this process.

9.2. The Benefits of Lifecycle Planning

There are considerable benefits to be gained from lifecycle planning:

- Identify long term investment for highway assets and develop an appropriate maintenance strategy
- Predict future performance of highway assets for different levels of investment and different maintenance strategies
- Determine the amount of investment required to achieve the required performance
- Determine the performance that will be achieved for available funding and/or future investment
- Support decision making, the case for investing in maintenance activities and demonstrate the impact of different funding scenarios
- Minimising costs over the lifecycle while maintaining the required performance.

9.3. Lifecycle Plan Development for Sandwell's Key Assets

Sandwell Council adopts the principles of asset management to establish long term predictions of the levels of service across the network and target optimal preventive maintenance intervention options in accordance with the principles of lowest whole life cost of ownership.

While for certain asset groups, a fix on fail approach might be an appropriate maintenance strategy, targeted preventative maintenance would tend to provide more and less expensive intervention options. Intervening at the right time, with the correct intervention option to treat defects can prevent more costly repairs in the long term as well as minimising the impact to the service caused by larger programmes of works that result from assets that have deteriorated beyond the point where there are no other option other than to fully reconstruct.

Sandwell use the Symology software system as its main Highway Asset Management tool to support decision making.

Lifecycle planning is used to predict service standards against different budget allocations for planned maintenance (reconstruction, resurfacing and protective treatment) embracing the 'prevention is better than cure' approach.

This lifecycle planning work is reported to the Council's executive decision makers to provide a basis for making strategic financial planning decisions at a borough wide level about future investment in, and performance of, highway assets over the medium to longer term.

Lifecycle planning comprises the approach to the maintenance of an asset from construction to disposal. It is the prediction of future performance of an asset, or a group of assets, based on investment scenarios and maintenance strategies. The use of lifecycle plans seeks to demonstrate how funding and performance requirements are achieved through appropriate intervention and investment strategies, with the objective of minimising whole life cost while providing the required performance.

In addition to helping maintenance teams make better decisions about maintenance strategies and asset replacement, lifecycle modelling can also help them communicate the long-term costs and impacts of these decisions to stakeholders, such as government officials and the public. This can help ensure that maintenance decisions are made with a long-term perspective and are sustainable over time.

Highway asset management systems allow the modelling of deterioration around varying parameters. Whilst capturing the overall network condition and future deterioration, they also allow modelling based on funding levels and condition. Varying funding levels can be modelled to predict the likely impact on condition and hence the associated measures. Condition levels can be set based on the network hierarchy to ascertain the necessary funding model required to maintain the condition or performance level. This modelling is available for several asset types allowing for a more predictive means to manage the asset and project future funding requirements. However, the current depth of asset data for certain asset groups does not allow the benefit of deterioration modelling for lifecycle planning, at present the Council is only in the position to model deterioration of its carriageways. However, the status of the lifecycle planning programme for each asset type is summarised below.

• Carriageways

Initially, lifecycle planning at Sandwell was developed using the HMEP Lifecycle Planning Toolkit. However, since 2020, Sandwell Council has been working with Gaist and using their Strategic Lifecycle Modelling (SLM) software to support lifecycle modelling forecasts and predictions.

• Footways and Cycleways

As for carriageways, initially lifecycle planning was developed using the HMEP Lifecycle Planning Toolkit but latterly Sandwell have used Gaist's SLM software to support lifecycle modelling forecasts and predictions.

• **Bridges and Structures**

Sandwell has adopted the use of the 'Structures Asset Management Planning Toolkit' developed by Atkins alongside the DfT. This Excel-based toolkit supports bridge engineers and managers in their management of bridges and structures.

• **Drainage**

Asset lifecycle plans are developed by taking account of the recommendations within the HMEP Highway Drainage Assets Guidance document.

• **Street Lighting and Traffic Signals**

Sandwell's low pressure sodium (SOX) lamp replacement programme has been completed and all high pressure sodium (SON) lamps are expected to become LED by October 2024.

As the LED stock of the Authority increases over the coming years, the number of lighting faults is expected to steadily fall. Over this period the funding normally associated with reactive repairs may be redirected towards column replacement.

Although street lighting columns are typically passing the TR22 inspections, we would expect, based on age profile, a minimum of 2% of the streetlighting stock to require replacement every year. The results of our latest structural testing surveys support this assessment.

Sandwell's planned and reactive replacement of street lighting columns is informed by our testing regimes.

Sandwell have 263 traffic signal sites in total of which 221 sites have been converted to LED, with a further 13 sites planned for conversion this year. The remaining sites will be planned in to be completed in future schemes.

10. Works Programming

10.1. Introduction

A forward works programme is a frequently used method of demonstrating that the long term needs of an asset have been considered and evaluated. The process of preparing a forward works programme is most important because it drives consideration of the evaluation and ranking of alternative improvement projects and maintenance treatments.

10.2. Sandwell's Forward Work Programmes

The Government's allocation for highway maintenance funding for Sandwell is principally delivered through the City Regional Sustainable Transport Settlement (CRSTS). CRSTS1 funding is £4.741m per year each year until 2026/27. This longer-term funding commitment has enabled the development of a forward programme of planned maintenance.

In August 2021 and in March 2024 an additional £855k was made available for Sandwell through the Traffic Signal Maintenance and Green Light funding schemes.

In December 2024, the Government announced funding in additional to CRSTS1, which for Sandwell is expected to amount to an additional £1.695M for 2025/26.

At the time of writing indicative allocations for CRSTS2 has been published which looks set to be an increase from CRST1. Final allocations will be confirmed in due course.

Historically managers of key asset groups developed local programmes covering more than one year. These are predominantly based on asset condition, along with sources of information that include safety inspections, condition surveys, complaints, service requests and insurance claims data.

Whilst a longer term forward works programme will ensure that all work is carried out in accordance with whole life costing principles, they may be less reliable in terms of the exact location and type of project to be carried out because the programme is constructed from projections using available data and knowledge. This is work in progress. In the meantime, the Council operate a rolling 2 year forward programme up to the end of the CRSTS1 period with a view to having a 5 year forward programme for maintenance works when the CRSTS2 funding allocation is confirmed.

10.3 Current Works Programmes

10.3.1. Carriageways

When constructed from new, carriageways are normally designed to last approximately 20 years before a replacement is required. The length of our road network is currently 880 km, consisting of Classified (sub-divided into: Principal A Roads, B Roads and C Roads), Unclassified Roads, and Back Lanes.

All carriageways are maintained to keep it in a safe and serviceable condition and are subject to:

- highway safety inspections
- annual condition surveys which are used to develop our annual maintenance programme.

10.3.2 Sandwell's Classified Carriageway Network

Sandwell's roads are part of a national asset and there are national datasets for the classified road network.

The condition of the classified carriageway network is currently assessed annually by SCANNER surveys with skid resistance measured annually on our principal roads ('A' roads) only using Griptester.

A summary of proportion of classified roads in red risk condition performance covering the period 2015/16 to 2023/24 is shown in **Table 4**. This illustrates a gradual improvement over the period.

	2015/16	2016/17	2017/18	2018/19	2019/20	2020/21	2021/22	2022/23	2023/24
A Roads (130-01)	8%	4%	2%	2%	3%	3%	2%	2%	2%
B and C Roads (130-02)	7%	4%	2%	2%	2%	3%	3%	2%	2%

Table 4: A summary of our Classified Road network in Red Risk Condition

These measures are also Office for Local Government (OFLOG) measures enabling national comparison.

Sandwell's high level of performance compared to other English Local Authorities is shown in (**Fig 5**) below:




Fig 5 OFLOG data

A more detailed analysis confirms continued improvement in the condition of the Borough's classified roads, with class A roads decreasing from 2.4% in red risk to 1.9%, B roads from 3.2% to 2.9% and C roads from 1.5% to 1.3%, as set out in **Table 5** below:-

A Road SCANNER Performance Indicators		
	2023/24	2024/25
Red	2.4%	1.9%
Amber	20%	19.8%
Green	77.6%	78.3%

B Road SCANNER Performance Indicators		
	2023/24	2024/25
Red	3.2%	2.9%
Amber	25.1%	24.8%
Green	71.7%	72.3%

C Road SCANNER Performance Indicators		
	2023/24	2024/25
Red	1.5%	1.3%
Amber	18%	15.6%
Green	80.4%	83.1%

Table 5: Detailed Performance Data for Classified Road Network

10.3.3 Sandwell's Unclassified Carriageway Network

Sandwell's unclassified carriageway network, sometimes referred to as our local or residential carriageway network, comprises approximately 75% of the entire carriageway network. There are also datasets for the unclassified carriageway network, BVPI 224b CVI which is used to determine road condition.

A summary of carriageway condition performance for our unclassified roads covering the period 2015/16 to 2021/22 is shown in **Table 6**.

	2015/16	2016/17	2017/18	2018/19	2019/20	2020/21	2021/22	2022/23	2023/24
Unclassified Roads	14%	15%	16%	15%	15%	17%	18%	19%	22%

Table 6: - A summary of our Unclassified Road network road condition

From the above tables 1 and 4? after a period of improvement in 2015-2017, the condition of the classified road network has remained stable at this improved, good level of condition that compares well on a national basis. Conversely, the condition of the unclassified road network has been broadly stable with a slight deteriorating trend in the most recent years.

The priority objectives over the next two years for our carriageways are:

- to maintain the condition of the classified carriageway network.
- To seek additional capital support to arrest the deterioration of the unclassified carriageway network.

10.3.2 Footways

The condition of the footway network within Sandwell is monitored as part of routine and ad-hoc highway safety inspections and through an annual Footway Network Survey (FNS). The information collated as part of these inspections and surveys feeds into Sandwell Council's planned annual footway maintenance programme. A summary of proportion of footway condition is shown in (Fig 6).




Fig.6 : - A summary of Sandwell Council Footway Condition

The latest FNS of condition suggests 70% of Sandwell's footway network falls into the worst two categories, being Functionally Impaired or Structurally Unsound.

This represents a sustained improving trend over a six-year period, comparable figures for the previous six years being: 73%, 77%, 82%, 84% and 86% and validates the Council's Asset Management approach of targeting amber risk footways to prevent further deterioration to red risk.

Preventative maintenance is reducing the number of footways in amber risk condition but there is still a gradual upward trend in red risk condition.

The priority objectives over the next two years for our footways are:

- Continue to manage the risk from trip hazards identified through a combination of Highway Safety Inspections and other reported defects
- Continue to develop a footway maintenance plan to inform future minimum and preferred funding requirements, enabling improved planning and prioritisation, based on existing data
- Continue to focus preventative maintenance on reducing the number of footways in amber risk condition
- Seek additional capital support to reverse the upward trend in footways in red risk condition.

10.3.3. Highway Bridges and Structures

It is essential to ensure that bridges remain in good, safe condition and accessible for all road users. Sandwell manage our bridges and structures through a programme of:

- Planned inspections
- Structural reviews
- Planned major maintenance schemes.

As for other Asset types, Sandwell Council is obligated to submit a valuation return which relates to highways assets including highway structures on an annual basis.

Sandwell use the DfT Structures Asset Management Planning Toolkit to support long term decision making for bridges and structures.

A copy of the Structures Asset Planning Dashboard is shown below (Fig 7).




Fig. 7: Summary of the Condition of Sandwell's Bridges and Structures

A programme of bridge inspections identifies conditions that need maintenance and repair to prolong the life of these assets.

In the period since the previous assessment was undertaken in 2022 there has been a slight improvement in the condition of the Council's bridge and structures stock. Sandwell has no structures in very poor or red risk condition. The number of structures in poor condition has reduced from 5 to 4, with the number of structures in fair condition reduced from 53 to 51.

The recent externally funded bridge repair work at Scott Bridge illustrated that the extent of structural deterioration can be significantly worse than had been observed and reported in bridge inspections. In this case, this led to prolonged temporary road closures and additional costs of more than £500,000. The implementation of the required work was made possible by the provision of DfT grant funding, supplemented by £500,000 of Council capital funding in 2022/23 and £150,000 in 2023/24.

A failing bridge at Station Road, Old Hill also generated an unfunded pressure of £350,000 and has closed this important classified road for 12 months causing significant disruption for local businesses.

Sandwell successfully secured a DfT grant of £1,221,912 in 2021/22 for Dudley Street Bridge which has been completed this year.

The priority objectives for bridges and structures over the next two years are:

- Continue to manage the condition of the Councils bridges and structures through a combination of Inspections and other reported defects
- Continue to ensure no structures become red risks (very poor condition) by focusing preventative maintenance on reducing the number of bridges and structures in poor and fair (amber risk) condition.
- Dudley Port Bridge, Tipton:

Dudley Port Bridge carries the A461 over the Birmingham Canal. A previous inspection identified a number of structural faults to the bridge, and as a result the highway alignment was altered from a dual 2 lane carriageway to a dual single lane carriageway to reduce the loading on the bridge.

Recent inspections have identified additional deterioration and in 2023, following a programme of structural investigations, a full structural assessment was carried out which identified that the assessed capacity of the structure is substandard.

As part of a wider West Midlands plan to improve the A461, a feasibility study has been carried out in order to replace or strengthen the structure, whilst also exploring the feasibility of accommodating safe space for cyclists and pedestrians and to have increased usable carriageway width.

Subject to funding, it is planned this scheme will move into detailed design, with a view to commencing construction in winter 2026.

10.3.4. Street Lighting - Programmed Replacements

Street Lighting is subject to the following inspection regimes:

- electrical testing carried out every 6 years
- structural visual inspection every 6 years
- structural testing of steel columns every 5 years unless identified as a higher risk.

Although street lighting columns are typically passing the TR22 inspections currently, we would expect, based on age profile, a minimum of 2% of the streetlighting stock to require replacement every year. The results of our structural testing survey support this assessment.

Capital funding for the planned and reactive replacement of street lighting columns informed by our testing regime has been secured in the form of prudential borrowing and this has permitted the acceleration in the modernisation of SON streetlighting lanterns, such that by October 2024, circa 95% of the Boroughs street lighting lantern will be LED.

The priority objectives for street lighting over the next two years are:

- complete the replacement of 6,705 SON streetlights, which has been estimated at a cost of £2,673,465
- continue with the planned and reactive replacement of street lighting columns informed by our structural inspection regime
- design proposals for 'part-night lighting (PNL) if required as per the MTFP.

10.3.5. Signs and Safety Fences

A works programme for signs and safety fences is not currently in place. These assets are maintained on a reactive basis resulting from safety inspections, routine inspections, customer reports and accident damage.

10.3.6. Traffic Signals and Controlled Pedestrian Crossings

Sandwell Council provides and maintains 247 traffic signal sites within the Borough.

The priority objective is to provide and maintain all traffic signals and controlled pedestrian crossings to a high standard to ensure the safety of all road users and to ensure the efficient operation of the highway network.

Annual inspection of traffic signal equipment is carried out with defects managed through the TRAMMS system. Highway Safety Inspectors provide an overview of condition as part of their routine safety inspections.

Allocated maintenance funding for traffic signals is minimal. The Council are reliant on securing additional maintenance funding through DfT and/or TfWM grants. In 2021/22 the Council were successful in securing £355,000 of funding for the replacement of life expired traffic signals on the Key Route Network. And in 2023/24 were successful in securing a further £500,000 as part of the DfT Traffic Signal Obsolescence Grant and Green Light Funds. Sandwell are reliant on securing this level of funding each year to avoid the potential to build a future maintenance 'bow-wave' of investment need for replacement traffic signals.

10.3.7. Vehicle Restraint Systems

Surveys have identified vehicle restraint systems that are significantly deficient in comparison to the modern standards appropriate for current vehicle weights and speeds. Many of these "crash barriers" are located on dual carriageways built between 1970 and 1972. A 7-year programme to upgrade vehicle restraint systems to modern standards is recommended to be programmed to commence in 2023/24 at a cost of £250,000 per year.

10.4. Summary of Current Works Programmes

		2024/25 (£)	2025/26 (£)	2026/27 (£)
Lifecycle Modelling Total Annual funding needed to stabilise red risk condition	Carriageways	8,604,000	6,827,844	6,952,655
	Footways	3,310,000	3,344,952	3,544,329
	Street Lighting	1,120,000	1,120,000	1,120,000
	VRS	250,000	250,000	250,000
	Bridges and Structures	1,489,000	1,489,000	1,000,000
	Traffic Signals	500,000	500,000	500,000
SUB TOTAL		15,273,000	13,531,796	13,366,984
Inflation Assumption			Included	2.3%
Inflation value				307,441
Total Expenditure Requirement			13,531,796	13,674,425
Dft Funding Secured	Maintenance Block	4,741,000	4,741,000	4,741,000
	Network North Funding	509,000	1,695,244	3,476,500*
	Challenge Funding	695,000	0	500,000*
Council Funding Secured	Lighting Capital Funding	275,000	275,000	275,000
Cabinet decision 16/11/2022	Lighting Prudential borrowing (cf)	870,000	600,000	400,000
Cabinet decision 18/10/2023	Council Gap Funding (inc. carry forward)	5,002,000	1,000,000	0
SUB TOTAL		12,092,000	8,311,244	9,392,500
Capital Funding		12,092,000	8,311,244	9,392,500
	Capital Funding Gap	3,181,000	5,220,552	4,281,925
	Contribution from Revenue Expenditure	2,700,000	2,720,552	2,782,925
	Funding Gap	481,000	2,500,000	1,500,000

Table 7 Current works programme

11. Performance Monitoring

11.1. Performance Monitoring

Sandwell currently monitor service levels through a range of performance indicators which are routinely reported to senior management; however, this is reliant upon having a repeatable series of data to enable the production of trending reports. Ongoing performance reviews focus on looking at the results, the factors contributing to performance and options for improving performance.

Sandwell has developed the Council Plan 2024 - 2027, this centres around four strategic themes. These are:

- Growing up in Sandwell
- Living in Sandwell
- Healthy in Sandwell
- Thriving Economy in Sandwell

This is all underpinned by One Council One Team. This Plan will detail how we will deliver on these strategic themes and how we will measure our success. This HIAMP and other highway initiatives contribute to delivering the plan.

11.2. Benchmarking

Local and national benchmarking is used to compare the performance of the Council's highway asset management framework and to share information that supports continuous improvement.

- **West Midlands Combined Authority (WMCA)**

Within the WMCA, authorities exchange objective and subjective data on all areas of highway asset management from stakeholder satisfaction through to national road condition data.

- **Midlands Highway Alliance Plus (MHA+)**

Midlands Highway Alliance Plus (MHA+) was formed from the merger of three regional efficiencies groups, the Midlands Highway Alliance, the Midlands Service Improvement Group and the West Midlands Highway Alliance. The new Alliance (July 2020) has a membership of 36 local highway authorities from across the Midlands and beyond.

Membership of the MHA+ helps the Council keep abreast of industry developments and to measure where Sandwell are, in terms of performance standards, compared to its peers. It also allows for prudent procurement of goods and services and helps with achieving economies of scale for both plus supply of contract management. The Council work collaboratively with other authorities, contractors and suppliers with the common aim of improving performance and sharing best practice.

- **National Highways & Transportation Network (NHT)**

Sandwell Council is a member of the NHT's CQC Efficiency Network. Highway Services supplies data on an annual basis to the CQC Efficiency Network which serves to provide details on customer satisfaction, technical quality and cost-effective delivery enabling Sandwell and other participating local highway authorities to share efficient practices.

Sandwell Council also signs up to the NHT Public Satisfaction Survey annually, which provides details of customer perceptions on highway and transport services in local authority areas. This published information clearly and effectively ensures members of the public and other highways stakeholders are fully informed about the current service performance. It also provides an independent sector standard that enables comparison with others.

- **National Reporting**

-

The Council's annual submissions of condition data to the DfT gives a clear indication of how the

11.3. Continuous Improvement

The Council is driving continual improvement in highway asset management practices through:

- Regular liaison and sharing of information with other highway authorities, both formal and informal, locally, regionally and nationally
- Encouraging staff to challenge existing practices on an on-going basis, looking for areas for improvement and efficiencies
- Keeping abreast of latest issues, sharing information and experiences, developing best practice through involvement in appropriate groups and national forums.

11.4. Highway Asset Management Competence and Training

The Council recognises the importance of having competent staff to deliver its highway asset management aspirations and therefore, continues to review the skills available within the organisation and identify potential gaps. The aim is to develop and roll out a highway asset management competency framework across the organisation to address any gaps and ensure that highway asset management capabilities are continually improved and aligned with the latest good practice.

12. Risk Management

A risk can be defined as an uncertain event which influences the desired performance of an asset. A risk factor is the product of the severity of an event and the likelihood of its occurrence. Sandwell has a well-established risk management process that covers all service areas.

The Place directorate, of which Highway Services is part, has accordingly identified and prioritised its high-level risks and through appropriate mitigation and other control measures aims to reduce assessed risk factors to an acceptable level. Within the context of highway asset management risk is one of the key drivers for the decision-making process involved in establishing service options. It is therefore important that the adoption of specific levels of service or service options is done in the full knowledge of their inherent risks.

The most commonly understood risks affecting the highway relate to safety, but other risks are a crucial part of the asset management process and may include:

- Reputation
- Asset loss or damage
- Service reduction or failure
- Operational
- Environmental
- Financial and contractual.

Risk management assists option selection and appraisal by undertaking the assessment of the comparative risks of:

- providing differing levels of service
- varying funding levels between asset groups
- funding improvements as opposed to maintenance works.

The risk management process concentrates on four main issues (**Fig. 8**) by applying these risk management principles the council will be able to more appropriately target resources and to deliver services and projects in a way that ensures that the council's overall exposure to risk is minimised.




Fig. 8 The risk management process


A key service risk relates to safety and the liability claims arising from accident and injury due to the condition of the highway infrastructure. A statutory defence exists if an authority can prove it has in place adequate policies and procedures to maintain the highway, they are performed satisfactorily and there was no prior knowledge of the defect. This HIAMP sets out the council's planned safety inspection regimes for mitigating this risk. This provides for a practicable and reasonably deliverable response given resources available.

13. Risk Based Approach

13.1. Well-Managed Highway Infrastructure: A Code of Practice

The 'old' Code of Practice, Well Maintained Highways (2005), set or encouraged standards to be established for risk mitigation processes. These became very challenging for local highway authorities to maintain and therefore potentially increased the risks and certainly increased the liability.

Therefore, developing a risk-based approach must consider the balancing of existing resources across the network, i.e. reducing the mitigation processes (inspections, reactive responses to defect repairs) where the risks are lower to facilitate increasing them for those parts of the network where the risks are greater. A risk-based approach should also create an agility in the management of these risks so that the mitigation processes can quickly flex to respond to changing circumstances of reducing or increasing risk, for example, change of adjacent land use, new development or emerging travel patterns. However, authorities have to be careful that adopting a risk-based approach is not seen as a money saving exercise, with decisions evidenced and suitably approved.



The new risk-based code, Well-Managed Highway Infrastructure: A Code of Practice (2016), represented a significant shift away from the previous more prescriptive approach to highways maintenance. Recommendation 7 of the code states that:

A risk-based approach should be adopted for all aspects of highway infrastructure maintenance, including setting levels of service, inspections, responses, resilience, priorities and programmes


Therefore, there will be a need to review current performance of risk mitigation processes including:

- Inspection frequencies achieved.
- Defect response times achieved.

This will determine the gap, if any, between the current stated targets and actual performance. The size of this gap, if any, will be key in determining the urgency of the development of a risk-based approach – the larger the gap the more urgent change is needed to off-set potential increased costs from liability claims;

13.2. Well Managed Highway Liability Risk 2019

This document follows on from the publication of the above document “Well Managed Highway Infrastructure” and seeks to provide further insight and advice on the risk and evidence-based approach to service delivery and the effective management of highway liability risk exposures. It acts as a reference source and practical guidance on best practice in the management of highway liability risk, how to apply the principles of risk management and a risk-based approach to highway liability claims exposure.



13.3. Risk Based Approach and Highway Liability – Risk Management

Under Section 41 of the Highways Act 1980 Sandwell Council has a statutory duty to maintain a highway maintainable at public expense. Neglecting this duty can lead to claims against the Council for damages resulting from a failure to maintain the highway.

Under Section 58 of the 1980 Highways Act, the highway authority can use a “Special Defence” in respect of action against it for damages for non-repair of the highway if it can prove that it has taken such care as was reasonable. The key criteria where the court is required to consider as part of the authority’s defence are:

- (a) The character of the highway, and the traffic which was reasonably to be expected to use it
- (b) The standard of maintenance appropriate for a highway of that character and used by such traffic
- (c) The state of repair in which a reasonable person would have expected to find the highway
- (d) Whether the highway authority knew, or could reasonably have been expected to know, that the condition of the part of the highway to which the action relates was likely to cause danger to users of the highway
- (e) Where the highway authority could not reasonably have been expected to repair that part of the highway before the cause of action arose, what warning notices of its condition had been displayed.

The Institute of Highway Engineers “Well Managed Highway Liability Risk” 2019 (WMHLI) provides practical guidance on best practice in the management of highway liability risk exposures. It is designed to inform users how to apply the principles of risk management and a risk-based approach to highway liability claims exposure.

The guidance recommends adopting the standard ISO31000:2018 Risk Management Principles Guidelines, which sets out the principle of risk management and the process required to develop and implement a risk-based approach. A diagram of the risk management process is shown in (Fig 9).



Fig. 9 Risk Management Process as described in ISO 31000

13.4. Safety Inspections - Sandwell approach

Sandwell Council and for that matter other local authorities are not statutorily obliged to undertake highway safety inspections. However, the Code of Practice “Well Managed Highway Infrastructure” recommends that local authorities should undertake regular safety inspections to identify all defects likely to create danger or serious inconvenience to users of the network or the wider community.

The Council currently undertakes safety inspections, and they form a key aspect of its strategy for managing liabilities and risks. Through them the Council are not only able to ensure the safety of Sandwell’s highway network but to support a defence to repudiate third party highway liability claims under Section 58 of the Highways Act 1980.

Section 58 requires highway authorities to demonstrate that they carry out highway safety inspections in accordance with their policies and national guidance. This requires that a court shall have regard to ‘whether the highway authority knew or could reasonably be expected to know, that the condition of the part of the highway to which the action relates was likely to cause danger to users of the highway’. Highway inspection reports are part of the evidence used to show that the highway authority has acted reasonably.

A key element of the defence is being able to provide good evidence and/or reasoning on each decision the authority made that lead to the response decision. In accordance with the Code of Practice, the Council’s safety inspections regime is based on an assessment of risk that provides for a practicable and reasonable approach to the risks and potential consequences of the defects identified. The inspections take account of potential risks to all road users, and particularly those most vulnerable.

To support a risk-based approach the current highway safety inspection procedure has been reviewed and amended where needed to reflect Sandwell’s highway network priorities and the code of practice recommendations.

13.5. Method of Inspection

The survey vehicle will be equipped with high intensity roof-mounted flashing beacons and high visibility reflective markings. The inspection of any traffic sensitive lengths should be surveyed at off-peak times.

Highway Safety Inspections

All carriageways are normally walked.

All footways must be walked, if there is a footway on both sides of the road the footways are to be inspected by one person on foot in both directions.

Sandwell’s inspections cover the entire street scene and therefore will not only identify defects on the surfaces of carriageways, footways, footpaths, subways and hard/soft verges but also include other items such as street lighting, signage, drainage, ironwork, trees and street furniture.

Health and Safety

Inspections must be carried out in a safe manner so as not to endanger staff or the public. All operations will have a current risk assessment which must be followed by staff.

Information to be recorded

All highway safety inspections shall be properly recorded into the Insight Enterprise System and retained by the Authority for future reference. As well as any defects found, the overall condition of the carriageway and footway will be assessed, and this information can be used to identify potential preventative maintenance and renewal schemes. Highway safety inspection data is captured on handheld devices which automatically time and date stamp the inspection.

13.6. Frequency of inspection

The Council base frequencies for undertaking safety inspections upon road hierarchy categories as recommended in the Code of Practice. Whilst typical inspection frequencies are recommended within the Code these are only intended to be a starting point as it advocates local authorities should, when establishing frequencies, also take wider consideration of:

- category within the network hierarchy
- type of asset, e.g. carriageway, footway, embankment, cutting, structure, electrical apparatus, etc.
- critical assets
- consequence of failure
- network resilience
- use, characteristics and trends
- incident and inspection history
- characteristics of adjoining networks elements
- the approach of adjoining Highway Authorities
- wider policy or operational considerations.

Sandwell's current safety inspection frequencies are shown in Table 8 and were approved for the period covered by the HIAMP; Table 9 is the revised and updated version based upon the recommendations of the 2016 Code of Practice.

Table 8 – Highway Safety Inspection Frequencies							
Feature	Description	Category	Suggested “starting point” for frequency in Code of Practice	Frequency Approved April 2002	Frequency Revised 13 th April 2012	% of Network Length based on Category	Notes
Roads	Strategic Route	2	1	6 months	6 months	12%	
	Main Distributor	3(a)	month	6 months	6 months	10%	
	Secondary Distributor	3(b)	1	6 months	6 months	15%	
	Link Road	4(a)	month	6 months	6 months	19%	
	Local Access	4(b)	1 month 3 months 1 year	6 months	1 year	43%	
Footways	Prestige Area	1(a)	1 month	6 months	6 months	1%	All footways adjacent to Local Access Roads 4(b) will be inspected as 1 unless designated a Shopping Area
	Primary Walking Route	1	1 month	6 months	6 months	1%	
	Secondary Walking Route	2	3 months	6 months	6 months	15%	
	Link Footway	3	6	6 months	6 months	56%	
	Local Access Footways	4	months 1 year	6 months	6 months	28%	
Shopping Areas	Main Shopping Centre roads and footways	Mixed	As above	1 month	1 month	1.5%	
Cycle Routes	Part of Carriageway	A	As for Roads	6 months	As for revised roads	A 10%	
	Remote from Carriageway	B	6 months	6 months	N/A	B 1%	
	Cycle Trails	C	months 1 year	N/A	N/A		
Subways	Ramps, steps and paved areas	-	-	At the frequency applied to the adjacent footway / footpath	At the frequency applied to the adjacent footway / footpath		

Table 9 – Sandwell Highway Safety Inspection Frequencies

Feature	Description	Category	Critical ¹ Assets affected	Part of the Resilient network	Incident and inspection history	Adjoining network alignment	Operational Considerations	current safety inspection frequency	Inspection Frequency 2023	% of Network Length	Evidence for departure from COP recommended frequency
			Yes, No	Yes, No	Good, Ave, Poor	Yes, No	Yes, No	Approved 13/04/2012			
Roads	Strategic Route	2				Yes	Yes	6 months	6 months	12%	
	Main Distributor	3(a)				Yes	Yes	6 months	6 months	10%	
	Secondary Distributor	3(b)				No	Yes	6 months	6 months	15%	
	Link Road	4(a)				No	Yes	6 months	6 months	19%	
	Local Access	4(b)				No	Yes	12 months	12 months	43%	
Footways	Prestige Area	1(a)				No	Yes	6 months	6 months	1%	
	Primary Walking Route	1				No	Yes	6 months	6 months	1%	
	Secondary Walking Route	2				No	No	6 months	6 months	15%	
	Link Footway	3				No	No	6 months	6 months	56%	
	Local Access Footways	4				No	No	6 months	6 months	28%	
Shopping Areas	Main Shopping Centre roads & footways	Mixed				No	Yes	1 month	1 month	1.5%	
Cycle Routes	Part of Carriageway	A				N/A	N/A	6 months	6 months	15%	
	Remote from Carriageway	B				N/A	N/A	6 months	6 months		
	Cycle Trails	C				N/A	N/A	N/A	N/A		
Subways	Ramps, steps and paved areas	N/A				N/A	N/A	As adjacent footway / footpath	As adjacent footway / footpath	%	

¹ Critical assets include Bridges, Structures, Street Lighting, Traffic signals,

13.7. Degree of Deficiency

During highway safety inspections, observed defects that provide a risk to users are assessed to determine the level of response. The degree of risk is a crucial contributory factor in determining the nature and speed of response. For example, the degree of risk from a pothole depends not merely on its depth but also on its size and location. On site judgement will always need to take into account the particular circumstances of individual defects.

The Code of Practice defines safety defects in two categories:

1. Defects which are considered to require urgent attention should be corrected or made safe at the time of the inspection, if reasonably practicable. In this context, making safe may constitute displaying warning notices, coning or fencing off to protect the public from the defect. If it is not possible to correct or make safe the defect at the time of inspection, repairs of a permanent or temporary nature should be carried out as soon as possible. If temporary repairs have been used, permanent repair should be carried out within a reasonable period.
2. Defects that do not represent an immediate or imminent hazard or risk of short-term structural deterioration may have safety implications, although of far less significance than those which are considered to require urgent attention. They are more likely to have serviceability or sustainability implications. If repairs are to be undertaken these are likely to be within a planned programme of works with their priority determined by risk assessment. Access requirements, other works on the network, traffic levels and the desirability of minimising traffic management should also be considered as part of the response.

In Sandwell, safety inspections solely consider **Category '1'** defects because annual condition surveys look at deficiencies in the fabric of the highway and serviceability over the longer term to inform planned renewal. Repairs to serviceability defects and customer reported defects that do not represent an immediate or imminent hazard, or a risk of short-term structural deterioration are carried out as part of planned asset renewal (e.g. surface patching, resurfacing or another repair treatment). In deciding the severity of the defect, it will be necessary to refer to **Appendix D**.

For **Category '1'** defects, a risk assessment is required to determine the appropriate level of response in relation to them presenting either an imminent or immediate hazard. All risks identified through this process are evaluated in terms of their significance, which means assessing the likely impact should the risk occur and the probability of it happening.

13.8. Defect Risk Assessment

Risk assessment involves determination of the **likelihood** and **consequence** of an event. Risk assessment allows the identified risks to be analysed in a systematic manner to highlight which risks are the most severe and which are unacceptably high.

The **'Risk'** is normally determined by: **Likelihood x Consequence**.

Likelihood is the chance of an event happening, for example, the likelihood of sustaining damage to an individual or vehicle as a result of a defect. It can be measured objectively, subjectively, qualitatively or quantitatively.

Consequence is the outcome of an event, such as personal injuries, vehicle damage, litigation, public satisfaction, or organisational integrity.

The assessment of likelihood and consequence are used by inspectors to identify the overall seriousness of the risk and consequently assign an appropriate target response. An example of assessment of the likelihood and consequence through a qualitative matrix approach is illustrated in (**Fig. 10**), this model has been used to develop Sandwell's defect risk assessment. (Table 10)

LIKELIHOOD OF EVENT OCCURRING	CONSEQUENCE OF EVENT OCCURRING				
	NEGLIGIBLE	LOW	MEDIUM	HIGH	SEVERE
NEGLIGIBLE	1	2	3	4	5
VERY LOW	2	4	6	8	10
LOW	3	6	9	12	15
MEDIUM	4	8	12	16	20
HIGH	5	10	15	20	25
KEY TO RISKS					
LOW		MEDIUM		HIGH	

Fig.10 Risk matrix (UKRGL Highway Infrastructure Asset Management Guidance Document 2013)

		Risk Management for Category 1 defects					
Risk	Impact	Risk Scores				Existing Control Measures in Places	Action to be taken to address deficiencies
		Likelihood	Consequence	Combined scores	Overall Risk		
Personal injury to road user	Reputational damage financial loss customer satisfaction	Med 4	High 4	16	High	On site risk assessment	
Damage to vehicles	Reputational damage financial loss customer satisfaction	Med 4	High 3	12	Medium	On site risk assessment	
Possible failure to comply with statutory duties.	claims, litigation	Low 3	Med 3	9	Medium	Inspection policy	
Lane restrictions / Road closures	Delays /Congestion to road users	Low 3	Low 2	6	Low	On site risk assessment	

Table 10 Sandwell's defect risk assessment – Category 1 defects

Category 1 Defect - Defects which are considered to require urgent attention should be corrected or made safe at the time of the inspection, if reasonably practicable. In this context, making safe may constitute displaying warning notices, coning or fencing off to protect the public from the defect. If it is not possible to correct or make safe the defect at the time of inspection, repairs of a permanent or temporary nature should be carried out as soon as possible. If temporary repairs have been used, permanent repair should be carried out within a reasonable period.

		Risk Management for Category 2 defects					
Risk	Impact	Risk Scores				Existing Control Measures in Places	Action to be taken to address deficiencies
		Likelihood	Consequence	Combined scores	Overall Risk		
Personal injury to road user	Reputational damage financial loss customer satisfaction	Very Low 2	Low 2	4	Low	On site risk assessment	
Damage to vehicles	Reputational damage financial loss customer satisfaction	Low 3	Low 2	6	Low	On site risk assessment	
Possible failure to comply with statutory duties.	claims, litigation	Low 3	Low 2	6	Low	Inspection policy	
Delays /Congestion to road users	customer satisfaction	Very Low 2	Low 2	4	Low	On site risk assessment	

Table 10.a Sandwell's defect risk assessment – Category 2 defects

Category 2 defect - Defects that do not represent an immediate or imminent hazard or risk of short-term structural deterioration may have safety implications, although of far less significance than those which are considered to require urgent attention. They are more likely to have serviceability or sustainability implications. If repairs are to be undertaken these are likely to be within a planned programme of works with their priority determined by risk assessment. Access requirements, other works on the network, traffic levels and the desirability of minimising traffic management should also be considered as part of the response.

13.9. Nature of Response

The Code of Practice "Well Managed Highway Infrastructure" specifies five parameters needed for an appropriate and effective response to highway deficiencies. They are:

- Frequency of inspection
- Items for inspection
- Type of traffic and intensity
- Method of inspection
- Nature of response.

13.10. Targets for Response

The council will endeavour to inspect and categorise all defects within **a specified number of** working days of the original report to determine the level of response required.

The current treatment response times for defects in Sandwell are as follows:

Category 1 defects - immediate hazard

Temporary or permanent repair within 2 hours (when a defect is temporarily repaired then complete permanent repair within 6 months)

Category 1 defects – imminent hazard

Temporary or permanent repair within 5 working days (when a defect is temporarily repaired then complete permanent repair within 6 months)

The target for responding to highway defects representing an imminent hazard was changed on 6 March 2013 (approved under an Action on Matter of Urgency) following service review. It was found that the previous target of *'to respond by the end of the next working day to carry out a temporary or permanent repair...'* is inflexible, inefficient and driving poor quality temporary repairs resulting in earlier failure and repeat visits. The 5 working day response time allows work to be planned more effectively and efficiently releasing operational capacity to do more repairs right first time with the same resource.

Category 2 defects

These defects are not recorded during planned safety inspections as current budgets are not sufficient to repair non-dangerous defects. These defects will be repaired during other planned maintenance works.

13.11. Methodology to support defect response times

This section provides guidance on the timescales for the repair of safety defects.

The information extracted and analysed from the Insight Enterprise system provided the evidence to support the most appropriate response times to defect repairs and insurance claim data for the last three policy years for which data is available.

- Annual number of Category 1 defects – The 3-year data shows that the number of reported carriageway defects has increased
- Percentage of Category 1 – immediate defect repairs completed within 2 hours – In 2023/24 68% of defects were repaired within 2 hours
- Percentage of Category 1 – urgent defect repairs completed within 5 working days – In 2023/24 77% of defects were repaired within 5 working days
- Carriageway and footway condition data – The 3-year data shows the following:
 - Condition of Principal and Non-Principal Classified Roads is improving
 - Condition of Unclassified Roads is steadily declining
 - Condition of Footways is steadily declining.

	Policy Years			trend
	2020-21	2021-22	2022-23	
Number of Injury Claims	69	97	94	
Number of Damage related claims	63	90	121	
Total	132	187	215	↑
Number of Claims successfully repudiated	89	140	155	↑
Repudiation rate	67.42	74.87	72.09	
Value of Injury Claims paid out	£46,697.43	£57,960.00	£64,778.21	
Value of Damage related claims paid out	£25,005.50	£31,074.47	£12,697.64	
Total	£71,702.93	£89,034.47	£77,475.85	↓
Ave Value of claim	£1,667.51	£1,894.35	£1,291.26	

Table 11 annual number of claims

The 3-year data in table 11 shows that, although the annual number of defect claims has increased, the number and proportion of defect related claims refuted has increased and the average value of related claims paid out has also reduced. This demonstrates high levels of compliance with the processes set out within this HIAMP.

All defects identified on the network during planned or reactive inspections are assessed in accordance with the risk assessment principles set out earlier in this section.

	Financial Years			trend
	2021-22	2022-23	2023-24	
Number of Immediate defects	4	10	22	↑
Number of Immediate defects repaired on time (2 hours)	1	7	15	↑
Percentage of Immediate defects repaired on time	25%	70%	68%	
Number of Imminent defects	1680	1366	1736	↑
Number of Imminent defects repaired on time (5 days)	1639	1203	1342	
Percentage of Imminent defects repaired on time	97.5%	88%	77%	↓

Table 12 annual number of defects

The 3-year data shows that, the number of defects identified as a result of defect identification processes has increased. This is consistent with the steady deterioration within the Sandwell unclassified road network and footway condition. The proportion of these defects repaired on time has reduced for identified short term reasons and action has been taken to bring compliance with the timescales set out within this HIAMP back within target.

As at Q2 in 2024-25, the percentage of defects repaired on time was in excess of 95%.

Sandwell also utilise The National Highway and Transport (NHT) Public Satisfaction Survey to collect resident's views on the full range of Highway and Transport activities including how we deal with potholes and damaged surfaces.




Fig 11. Screenshot of NHT survey category - Deals with Potholes and Damaged Surface

The NHT resident satisfaction survey confirms Sandwell as ranked third nationally for how it deals with potholes and damaged surfaces.

Taken together, this performance supports the methodologies and defect response times set out in this HIAMP.

13.12. Inspection Frequencies and Defect Response

13.12.1. Carriageways

Category	Hierarchy Description	Type of Road	Inspection Frequency	Defect Category	Risk Assessment rating	Response
2	Strategic Routes	Trunk Roads and Primary A Roads.	6 months	1	High	5 days*
				2	Low	Planned works
3a	Main Distributor	Non-primary A Roads and important/ Heavily Trafficked B Roads.	6 months	1	Medium	5 days*
				2	Low	Planned works
3b	Secondary Distributor	B Roads and Heavily Trafficked C Roads.	6 months	1	Medium	5 days*
				2	Low	Planned works
		Routes linking into the main/ secondary		1	Low	5 days*

4a	Locally Important Roads	distributor network, which are normally C Class Roads and have greater local significance in rural areas, plus heavily trafficked unclassified roads.	6 months	2	Low	Planned works
4b	All other <u>metalled</u> Roads	All other C roads and much of the unclassified network.	12 months	1	Low	5 days*
				2	Low	Planned works

Table 13 carriageway inspections frequencies and response times

* For all 'immediate' hazards – carry out a temporary or permanent repair within 2 hours

Defects risk assessed as an **immediate** hazard can typically include missing gully gratings, manhole covers and extreme carriageway failure.

13.12.2. Footways

Category	Hierarchy Description	Inspection Frequency	Defect Category	Risk Assessment rating	Response
1a	Prestige Area	6 months	1	High	5 days*
			2	Low	Planned works
1	Primary walking route	6 months	1	High	5 days*
			2	Low	Planned works
2	Secondary Walking route	6 months	1	Medium	5 days*
			2	Low	Planned works
3	Linked footway	6 months	1	Low	5 days*
			2	Low	Planned works
4	Local access footways	6 months	1	Low	5 days*
			2	Low	Planned works

Table 13a footway inspections frequencies and response times

* For all 'immediate' hazards – carry out a temporary or permanent repair within 2 hours

Defects risk assessed as an **immediate** hazard can typically include missing ironwork, slabs etc. and extreme footway failure.

13.12.3. Shopping Areas

Hierarchy Description	Type of Road	Inspection Frequency	Defect Category	Risk Assessment rating	Response
Shopping Areas	Main Shopping Centre roads & footways	1 months	1	High	5 days*
			2	Low	Planned works

Table 13b shopping areas inspections frequencies and response times

* For all 'immediate' hazards – carry out a temporary or permanent repair within 2 hours

Defects risk assessed as an **immediate** hazard can typically include missing or raised slabs, and extreme footway failure.

13.12.4. Cycle Routes

Hierarchy Description	Type of Road	Inspection Frequency	Defect Category	Risk Assessment rating	Response
Cycle routes	Part of Carriageway	6 months	1	High	5 days*
			2	Low	Planned works
	Remote from Carriageway	6 months	1	Medium	5 days*
			2	Low	Planned works
	Cycle Trails	N/A	N/A	N/A	N/A

Table 13c cycle route inspections frequencies and response times

* For all '**immediate**' hazards – carry out a temporary or permanent repair within 2 hours
 Defects risk assessed as an **immediate** hazard can typically include missing ironwork, major obstructions, and extreme surface failure.

13.12.5. Subways

Hierarchy Description	Type of Road	Inspection Frequency	Defect Category	Risk Assessment rating	Response
Subways	Ramps, steps and paved areas	At the frequency applied to the adjacent footway / footpath	1	Medium	5 days*
			2	Low	Planned works

Table 13d subway inspections frequencies and response times

* For all '**immediate**' hazards – carry out a temporary or permanent repair within 2 hours
 Defects risk assessed as an **immediate** hazard can typically include flooding, exposed lighting equipment, extreme footway/stairs/ramp failure.

13.12.6. Bridges and Structures

The overall purpose of inspections, assessment, testing and monitoring of the highways structures stock is to ensure that they are safe for use and fit for purpose.

The condition of the bridges structures asset is measured primarily by two factors, BSSCI (Bridge Structural Stock Condition Indicator) and BSCI crit (Bridge Structure Condition Indicator critical) which are derived from principal inspections (PI) and general inspections (GI). The inspections record the extent and severity of any defects and make recommendations on how any improvements should be considered.

Types of Bridge Inspections

Routine Surveillance comprises notification of obvious defects observed during the routine safety inspections of the highways. In addition, all highways staff are encouraged to be vigilant in travelling around the borough and to report any defects observed.

General Inspections comprise a visual inspection of all parts of the structure and adjacent elements e.g. earthworks without the need for special access or traffic management arrangements. The frequency is every 2 years, except where a structure is identified as sub-standard, then 2 years reduced to 6 months.

Principal Inspections comprise of a close examination, within touching distance, of all accessible parts of a structure and adjacent elements utilising special access, traffic management and CCTV where necessary. The frequency is every 6 years as a norm, although this may be extended up to 12 years where risk is reduced.

Special Inspections concentrate on a particular part of a structure in specific circumstances or following certain events and are carried out 1, 3, 6 and 12 monthly, or as requested. A visual inspection is carried out on those known structures that could be affected by water 'Scouring' because of severe weather events.

Nature of fault	Response time
Bridge strike	A bridge strike is an event in which a vehicle collides with a bridge and as such is dealt with as an 'Incident' and not a defect repair. An experienced engineer will attend and decide on the required response. Response time – 24 hours depending on the incident
Damaged parapet	This is a safety defect and a risk management approach is used to allocate the correct priority of response. However, if it is classed as an emergency then it will be a 2 hour response. Initial action would be to make the site safe for road users (the response time would be 2 – 24 hours depending on the incident)
Expansion joint failure	This is a safety defect and a risk management approach is used to allocate the correct priority of response
Crack or multiple cracks, retaining wall problem or earthworks / embankment defect	These are safety defects and a risk management approach is used to allocate the correct priority of response. However, if it is classed as an emergency then it will be a 2 hour response (otherwise 2 – 24 hours depending on the incident)

Table 13e bridge inspections frequencies and response times**13.12.7. Street Lighting**

To maintain the service to the public there is a need to identify lighting units and illuminated traffic signs which have failed or have mechanical defects, and then to repair them within predetermined timescales through current programmed inspection regimes.

Identification of illumination, serviceability or visible safety faults (e.g. missing covers exposing apparatus) is recorded during planned highway safety inspections or by the public reporting through the council's Contact Centre or local Neighbourhood Forums. Ad-hoc illumination scouting patrols may be carried out and recorded from time to time where area wide concerns are reported. Routine faults are entered on to the Mayrise system on the day following the report for repair programming. Emergency faults are reported to the Highways Operations service for immediate repair.

Once a street lighting defect is reported, the target response times are shown below:

Nature of fault	Response time
Non-emergency faults involving the replacement of components	10 working days
Non-emergency faults involving the replacement of a complete unit of apparatus, including those made safe as emergency faults	15 working days
Non-emergency faults involving the replacement of mandatory traffic signs and illuminated traffic bollards, including those made safe as emergency faults.	10 working days
Non-emergency faults involving works by the DNO	25 working days
Non-emergency faults involving the rectification of non-operating Belisha beacons and flashing school warning signs	5 working days
Emergency faults	2 hours

Table 13 f street lighting inspections frequencies and response times**13.12.8. Traffic signals**

Reactive maintenance and annual inspections of the traffic signal equipment is carried out under a contract by Telent technology. The contract contains service response targets.

13.12.9. Highway Trees

Nature of fault	Inspection Response time
Fallen tree - emergency	1 day*
Broken or hanging branch - emergency	1 day*
Rocking tree trunk - emergency	1 day*
Sight-lines obscured	10 working days**
Other tree/ hedge defect	30 working days**

* For all 'immediate' hazards – aim to inspect within 1 hour

** Work cannot be undertaken during the bird nesting season

Table 13g highway tree inspections frequencies and response times

13.12.10. Defects that are not the responsibility of the Council

During an inspection, defects may be identified which are not the responsibility of the Council to repair. The Council does however have a duty of care to the users of the road. Therefore, the defect must be recorded and the party responsible for the repair must be made aware of the defect. If the defect is identified as a Category 1 defect, it should be made safe either by signing and coning or by a temporary repair.

13.12.11. Statutory Undertakers Defective Apparatus

Where defective apparatus belonging to undertakers is identified, the defect must be recorded and the utility contacted in accordance with the New Roads and Street Works Act 1991.

14. The Resilient Network

Sandwell Council's Resilience Team works with a wide range of agencies and organisations to prepare for and respond to civil emergencies as and when they occur. The Council's partners include the police, the fire and rescue service, the ambulance service, surrounding councils, utility companies, voluntary organisations and many others. All services and organisations work together to ensure that the best possible preparations and plans are in place for emergencies. These are regularly tested and updated so that agencies can respond immediately and effectively to any threat.

Resilience in the context of the HIAMP is the ability for the highway network to recover from planned or unexpected events and return to providing the required level of service for stakeholders. It is about increasing the physical resilience of highway systems to adverse weather and other events, so when these occur the highway network continues to function.

14.1. Department for Transport Resilience Review

In 2014, the DfT undertook a review of the resilience of the UK transport network to extreme weather events. This followed a period of extreme weather in 2013/14, which saw high winds and heavy rainfall.

The key recommendation from that review for local roads was:

"Local Highway Authorities identify a 'resilient network' to which they will give priority, in order to maintain economic activity and access to key services during extreme weather. Where Authorities have held formal reviews of the winter's events, they should ensure that these are enacted; Authorities which were not affected should nevertheless continue to prepare themselves for future extreme weather."

This recommendation aligns with Sandwell's wider strategies including the Winter Service Plan, Local Flood Risk Management Strategy and the Climate Change Action Plan. The Climate Change Action Plan sets out our corporate strategy for adaptation to the future impacts of climate changes.

14.2. West Midlands Resilience Forum

The West Midlands Conurbation Local Resilience Forum (WMCLRF) is a partnership, made up of all the organisations needed to prepare for and respond to any major emergency in the conurbation.

The conurbation covers the following areas:

- Birmingham
- Coventry
- Dudley
- Sandwell
- Solihull
- Walsall
- Wolverhampton.



The WMCLRF partners include the emergency services, the seven local authorities, health agencies and the Environment Agency along with voluntary and other agencies. Under the Civil Contingencies Act (2004) every part of the United Kingdom is required to establish a resilience forum.

The aim of the WMCLRF is to ensure that there is an appropriate level of preparedness to enable an effective multi-agency response to emergency incidents, which have a significant impact on the communities of the conurbation.

WMCLRF has produced a Community Risk Register (CRR) to look at the likelihood and impact of a range of hazards happening.

A detailed review of these risks and mitigation measures are within the WMC LRF *Community Risk Register (CRR)* <https://www.sandwell.gov.uk/downloads/download/468/community-risk-register> .

14.3. Aim of Sandwell's Resilient Network

The Council aims to develop and maintain a core highway network which is reliable in operation and resilient to disruptive events, maintaining access for people and resources wherever possible.

14.4. Developing a resilient network

Resilience is the ability of assets, networks and systems to anticipate, absorb, adapt to and / or rapidly recover from a disruptive event. Resilience is secured through a combination of activities or components. The four principal strategic components are:



- 1. Resistance – preventing damage (e.g. to a flood wall or embankment)
- 2. Reliability – designing processes to operate under a range of conditions
- 3. Redundancy – availability of alternatives or spare capacity
- 4. Recovery – enabling a fast response to and recovery from disruptive events.

Maintaining a network which is resilient to disruption is a critical function of a local highway authority. In recent years, severe weather events and flooding have been the primary cause of widespread disruption. As the local highway authority Sandwell Council aims to ensure that the highway infrastructure we are responsible for is resilient to disruption, where practicable.

14.5. The Resilient Network

Sandwell's winter maintenance network (**Appendix C**) is well established and is therefore the starting point for the development of the resilient network. To move this forward a Resilient Network a guidance document has been produced to enable the further development of Sandwell's resilient network.

14.6. Communication

All users of our highway network increasingly expect immediate information about network disruptions including changes and closures, therefore it is important that the incidents and events that may affect the resilient network are communicated in accordance with the Highway Infrastructure Asset Management communications strategy.

14.7. Monitor and Review

The network will be periodically tested by the Resilience Team and, should it be activated in the event of a real incident, a post incident review should be carried out by the team to assess the effectiveness of the adaptation and mitigation measures employed. Actions required to improve the resilience of the network in future events should be identified and implemented where practical

15. Financial Management and Valuation

This section describes the financial implications of this HIAMP. A number of financial processes, procedures and techniques can be employed in highway asset management to help ensure funding is based on need rather than through historical allocation. A variety of approaches may be adopted for determining that need, which include asset valuation, risk management, lifecycle modelling and forward works programmes.

The Place directorate, of which highway services is part, see the application of sound asset management principles as one of the most effective ways of delivering value for money and achieving the aims and objectives of the service and the Council as a whole. The use of lifecycle modelling to predict the future funding requirements to maintain highway assets in a safe and reliable condition, is key to this and has informed the budget setting processes in recent years.

There continues to be a major challenge for highway services to make efficiency improvements in annual budgets, whilst maintaining highway assets in a safe and reliable condition. The application of sound asset management principles is seen as a key driver in achieving these efficiencies.

The highway network is one of the most valuable assets the Council maintain, with an estimated value of over £3.7 billion. Maintaining this vital asset in a safe and reliable condition is seen as a key driver in supporting the Sandwell Vision 2030. Particularly ambitions 6, 7, 8 and 10, being a borough where residents live close to great transport links, a location of choice for industries of the future, supporting excellent and affordable public transport systems and having a reputation as an authority which gets things done and is focussed on what really matters and people's lives and communities.

15.1. Sources of Funding

Maintenance of highway assets is generally funded by a combination of capital and revenue budgets.

Capital Funding

Capital allocations are received from central government via the West Midlands Combined Authority, through local gap funding and grants. The funding allocations received consider factors such as road length, classification, traffic figures and road condition data derived from the national and local condition surveys. The Council's capital budget provides the funding for planned and programmed works and is provided through:

Central government grants that are received by Sandwell Council through the West Midlands Combined Authority, such as the City Region Sustainable Transport Settlement (CRSTS) and Network North funding. There are also special grants such as Traffic Signal Obsolescence Grant (TSOG) and awards made following successful Challenge Fund Bids.

Council gap funding and borrowing is also sometimes received, to bridge the gap between the funding we receive from central government or for specific projects such as the SON to LED conversion of our streetlights.

The CRSTS funding consolidated that obtained from previous allocations of the Highways Maintenance Block, Pothole Fund and the Integrated Transport Block.

Network North funding has also been received in 2023/24 and 2024-25. This followed the announcement by government that £2.2 billion of Network North funding would be received in the West Midlands over the next 10 years from 2023/24 onwards, for local road resurfacing and wider maintenance activity on the local highway network.

The capital maintenance budgets received from central government and through special grants are generally not sufficient to maintain the highway assets in a steady state. Therefore, they are allocated using a risk-based approach to ensure the competing needs of the infrastructure are managed to minimise risk to highway users. In recent years there has also been Council gap funding provided internally to make up the difference between the funding we receive, and the funding required to maintain the red-risk condition assets in a steady state.

The chart below (**Fig 12**) provides a breakdown of capital funding received split between the funding provided by central government and the local funding allocations for highway maintenance between 2019/20 to 2024/25.




Fig 12. Funding breakdown

Revenue Funding

Revenue allocations are generally funded by the Council from a combination of local council tax, business rates, income from other areas of the highway service, Central Government revenue support and other grants. The Council's Revenue budget provides the funding for reactive and routine maintenance works, such as gully cleansing, grass cutting, and reactive repairs.

15.2. Highways Maintenance Expenditure

The funding allocations outlined above are the allocations which support the maintenance of highway assets within the Borough. The Movement for Growth: The West Midlands Strategic Transport Plan (WMSTP) sets out the improvements which will be made to transport network across the West Midlands. All West Midlands local authorities have jointly set out their transport strategy and policies in the (WMSTP) statutory document. The 2026 Delivery Plan for Transport sets out the schemes which will deliver a large amount of the Movement for Growth Strategy. The annual plan also supports the strategy by outlining the delivery programme for that specific year.

15.3 Future Needs

Demands upon the existing highway network will continue to grow as planned growth areas are developed. Sandwell's highway network will need to respond to various changes including climate change, the transition to electric vehicles and the need for increased resilience to adverse weather. This HIAMP, predictive deterioration assessments and future maintenance strategies will take these factors into account.

Lifecycle Modelling will assess how different maintenance strategies and funding levels will impact on service levels and identify the most economic and efficient way of delivering an acceptable level of service over the long term. Pressures on Council funding and increasing demands on the highway network may mean it is not always possible to secure the required funding to deliver the optimum solution. Lifecycle plans are one of the key mechanisms used in establishing funding needs.

15.4 Asset Valuation

During each financial year local authorities work towards compiling their Whole of Government accounts (WGA) returns as well as their own statements of accounts.

The WGA is a set of financial statements for the UK public-sector that consolidates the audited accounts of over 10,000 organisations across the public sector in order to produce a comprehensive, accounts-based picture of the financial position of the UK public sector.

As part of the WGA, Sandwell as Highways Authority for the borough used to complete the CIPFA Valuation Toolkit to support in calculation of the Gross Replacement Cost (GRC), Depreciated Replacement Cost (DRC), accumulated depreciation and annual depreciation values for all our highway assets.

However, since 2021/22 CIPFA has been reviewing the highway asset valuation process and have not released updated rates for the toolkit. Sandwell await the outcome of the review before we transition to the new method of valuing the highway asset. Sandwell continue to use the Structures Asset Valuation and Investment Toolkit (SAVI) as a method of annually valuing our structures assets.

16. Winter Service

Sandwell produce a separate Winter Maintenance Service Plan which holds all relevant information for this service. Information included is as follows:

- Policies and Responsibilities
- Quality Plan
- Route Planning
- Weather Prediction and Information
- Organisational Arrangements and Personnel
- Plant Vehicles and Equipment
- Salt and Other De-Icing Materials
- Salt Bin Policy
- Operational Communications
- Information and Publicity.

The complete document is available on the Sandwell Council website:

Appendices

Appendix A. Council Strategic Plan Themes

Corporate Plan Objectives	Outcomes	Performance Indicators	Position	Actual Performance	Target Performance
Growing Up In Sandwell			2024/25		
Children and young people are supported to lead happy and healthy lives with access to a range of opportunities for positive activities, play and having fun.	Achieve UNICEF UK Child Friendly status	Provide school pedestrian training, safe walking routes to school by and provide pedestrian crossings points outside high-risk schools with school crossing operatives in some locations.	Continued delivery of education programme. 29 Schools have crossing patrols the rest have signalised crossing points or a school zone 20mph speed limit with traffic calming.	2022/23 over 9000 pupil training interactions.	
		Increase the number of Bikeability Level 1& 2 training places delivered to Sandwell school children year on year. Work towards delivering to 80% of Year 6/5 school children per year.	2024/25 1436*	2022/23 964 2023/24 1473	2024/25 3078

* at date of publishing

Corporate Plan Objectives	Outcomes	Performance Indicators	Position	Actual Performance	Target Performance
Living In Sandwell			2024/25		
Improve outcomes for local people on local issues.	<p>We will provide good quality, safe and affordable homes with access to good quality services that support residents to live independently in thriving communities.</p> <p>Implement the HIAMP to ensure highway inspection regime is followed and respond to reports received from members of the public etc.</p>	Pot Holes/Defects percentage of defects repaired on time.	Q1 and Q2 2024 in excess of 95%	<p>2022/23: Immediate 70% Imminent 88%</p> <p>2023/24 Immediate 68% Imminent 77%</p>	Within 5 working days
	Achieve target SLA's to repair lighting columns and potholes/defects reported within the timescales identified by HIAMP.	<p>Lighting Repairs percentage of streetlights repaired on time Of the streetlights repaired, those completed within 2 working days</p>	Q1 and Q2 2024 92%	<p>2022/23 91%</p> <p>2023/24 91%</p>	Within 5 working days.

Improve outcomes for local people on local issues continued	Sandwell Council have provided several cycle routes across the borough with more planned for delivery in 2024/25.	Length of cycle routes provided.	2024/2025 High St West Bromwich Europa Avenue Quick Wins Various locations in Tipton Oldbury Ringway A461 Peake Drive to Dudley	National Cycle Network 18.41KM. Off Road Routes 18.21 KM. On Road Routes 18.21KM	
	The implementation of our HIAMP contributes to the results received in the National Highway and Transport (NHT) Surveys. These look at public satisfaction with the highway network across the country and other authorities.	Compare results with the rest of the country/other authorities.	2024 Condition of road surfaces best performer of Metropolitan Borough Councils and West Midlands Highway Authorities. Condition of Highways 3 rd Nationally Condition of Road Surfaces 3 rd Nationally Deals with Potholes 3 rd Nationally	2023 Condition of Highway surfaces 5 th nationally. Condition of Highways 3 rd Nationally Condition of Road Surfaces 4 th Nationally Deals with Potholes 7 th Nationally	Over the last 3 years we have consistently achieved higher satisfaction levels than the national average in 7 key maintenance areas.

Corporate Plan Objectives	Outcomes	Performance Indicators	Position	Actual Performance	Target Performance
Healthy In Sandwell			2024/25		
We will contribute to improve air quality and climate change through raising public awareness, increasing active travel and supporting organisations to reduce carbon emissions.	People to lead healthy lives in their community and live well for longer	Street Lighting inventory: converting sodium lamps to LED to reduce energy consumption and carbon emissions.	A further 6,653 streetlights to be modernised in 2024/25.	23,020 (74%) of the boroughs streetlights have been modernised to LED	
		Traffic Signals will be converted to LED lamps to reduce energy consumption and carbon emissions.	30 sites to LED this year with 24 left to do.	There are 209 sites currently converted to LED.	
		Sandwell have dimmed/trimmed streetlights. Switch on at 80% and after midnight they are dimmed to 50%.	Q1 and Q2 2024 figures show reduced energy usage compared to the same quarters the year before which also offers reduced carbon emissions.	Unit tonnes Co ² 2023 - 1,222 2024 - 959 (During same time period for each year)	
		This reduces the output of a streetlight lowering lighting levels and reducing energy usage.			

<p>Sandwell will be a net zero council by 2030 and a net zero borough by 2041.</p>	<p>A carbon baseline report for Sandwell Council has been generated for the financial year 2022-2023 in conjunction with TfWM and a contractor</p>	<p>Highways will continue to provide information when requested so that future years can be assessed. We are working with suppliers to advise on baselines going forward.</p> <p>Taking part in a trials in conjunction with WMCA, this is via the DfT funded 'LiveLabs' project, with a view to decarbonise the local highway network focussing on things such as material innovation and road repair techniques.</p>	<p>Baseline report generated.</p> <p>Sandwell has carried out trials for pothole repairs and is working with the LiveLabs team to look at areas such as surface treatments and surface rejuvenators.</p>	<p>Improve ratio of diesel to lower emission vehicles in fleet (Serco and Corporate) (quarterly)</p> <p>A percentage reduction in carbon emissions within our corporate estate and across the wider borough (annual)</p> <p>Where trials do take place a period of monitoring will compare material types and methods of work versus 'original' ways of working etc.</p>
---	--	--	--	--

<p>We will embed public health considerations into local planning policies and decisions.</p>	<p>Health outcomes for Sandwell's most vulnerable groups are improved and health inequalities are reduced.</p>	<p>Sandwell LLFA, flood mitigation measures and the provision of SUDS is considered at pre and full application stage of the planning process.</p>	<p>2024/25 Full Applications 221 Pre Applications 61</p>	<p>2023/24 Full Applications 349 Pre Applications 86 2022/23 Full Applications 372 Pre Applications 86</p>	<p>Planning Applications referred to Highways for comment as a consultee of the planning process.</p>
<p>We will ensure the responsibilities of the Local Highway Authority are delivered and continue to maintain standards in relation to highway condition.</p>	<p>We will use the Sandwell Strategic Road Safety Plan 2024-2030 approved delivery plan to meet our statutory requirements for road casualty reduction and to maintain Sandwell's excellent performance in reducing road casualties.</p>	<p>Reduce Child killed and seriously injured (KSI) accidents by 50% by 2030 (annual) The number of road safety improvement schemes delivered each year where engineering measures can prevent injury accidents.</p>	<p>40% reduction in KSI's achieved2 2024/25 Major 11 Minor 10 VASS 12</p>	<p>40% reduction in KSI's achieved 2023/24 Major 22 Minor 12 VASS 6</p>	<p>Reduce in KSI's by 50% 2024/24 Major 13 Minor 8 VASS 6</p>

Council Plan Objectives	Outcomes	Performance Indicators	Position	Actual Performance	Target Performance
Thriving Economy in Sandwell			2024/25		
Residents and businesses are well connected and have a good travel experience in the borough.	Street Works Permitting scheme will manage disruption created by road works.	Ensure that all road works have been granted a permit. Work should be completed by agreed dates so road works and any temporary traffic management do not overrun.		Over 11,000 permits granted in 2023/24. 6,193 Inspections took place to confirm work completed to timescales 2023/24	
	We will ensure the responsibilities of the Local Highway Authority are delivered and continue to maintain standards in relation to highway condition.	Deliver the Asset Management Plan Strategy	<ul style="list-style-type: none">Percentage of local authority motorways roads that should be considered for enhancement (Oflog) (annual)Percentage of local authority B and C roads that should be considered for enhancement (Oflog) (annual)The % of our unclassified carriageways in poor condition (annual)National Highways and Motorways Condition Measures (annual)Condition of HighwaysCondition of Road SurfacesCondition of FootpathsCondition of Paths with PotholesThe % of potholes that require urgent repair	Stable	2%
Stable			2%	2%	
Deteriorating			23%	20%	
Improving					
3 rd Nationally			3 rd Nationally	Upper Quartile	
3 rd Nationally			4 th Nationally	Upper Quartile	
3 rd Nationally			7 th Nationally	Upper Quartile	

We will ensure the responsibilities of the Local Highway Authority are delivered and continue to maintain standards in relation to highway condition continued.		ion that have been temporarily or permanently repaired within 5 days	Stable	94.5%	95%
	<p>Manage the issuing of street works permit to ensure duration of works are reduced and encourage collaboration between statutory undertakers.</p> <p>Reduce defects, improve quality of reinstatements by completing inspections.</p>	<p>Ensure that all road works have been granted a permit. Inspections take place at intervals during the period from the works starting until two years after the works are completed.</p>	<p>During the 12-month period the Permit Team completed nearly 20,000 Inspections</p>	<p>2023/24</p> <p>Over 11,000 permits granted</p> <p>1,196 live site inspections whilst works are Ongoing.</p> <p>6,193 inspections to ensure the works were completed on the agreed dates.</p> <p>1,221 inspection after reinstatement was less than 6 months old.</p> <p>10,718 inspections prior to the warranty end.</p>	

Council Plan Objectives	Outcomes	Performance Indicators	Position	Performance Target	Actual Performance
One Council One Team					
High quality inclusive services for all of our customers.		<ul style="list-style-type: none"> Average working days to respond to Cllr enquiries (quarterly) 	Received Enquiries 2022/23 576 2023/24 588	To Respond within 10 working days.	Average response time 2022/23 2023/24
		<ul style="list-style-type: none"> Average working days to respond to MP enquiries (quarterly) 	Received Enquiries 2022/23 87 2023/24 92	To Respond within 10 working days.	Average response time 2022/23 10 days 2023/24 7 days
An employer of choice with an engaged and high performing workforce.		<ul style="list-style-type: none"> Implement our People (Workforce) Strategy 24-2027 	Develop skills and potential of staff to produce a strategic work force and have competent and capable leaders.	Encouraging colleagues to continue with their CPD, ensure current qualifications/training does not lapse and offer a number of apprenticeships for professional development.	Number of apprentices (entry level and existing staff) 2024/25 2 Civil Engineering Degree 2 Civil Engineering HNC Level 4 1 Level 3 Leadership and Management 1 Civil Engineering ONC


Appendix B. Performance Management Framework

R & G Objectives	Reporting Level	Level of Service Statement	Performance Measures	Current position 2016/17	Performance Target 2017/18	Actual 2017/18
Safety Provide a safe highway network reducing the number of people killed or seriously injured.	Strategic	Improve confidence in local road safety for all road users	NHT Customer satisfaction score for Road Safety KBI		↻	
	Strategic	Reduce Number of people killed or seriously injured	Percentage reduction in number of people killed		↻	
	Strategic		Percentage reduction in number of people seriously injured		↻	
	Operational	Quickly repair safety defects that present an immediate or imminent hazard to road user	Percentage of Category 1 Emergency safety defects made safe within 2 hours		100%	
	Operational		Percentage of Category 1 Urgent safety defects made safe within 5 working days		100%	
	Tactical	Pro-actively reduce likelihood of accidents occurring on network	Percentage of inspections carried out with prescribed timescales		100%	
R & G Objectives	Reporting Level	Level of Service Statement	Performance Measures	Current position 2016/17	Performance Target 2017/18	Actual 2017/18
Customer Satisfaction Keep traffic moving to minimise avoidable congestion particularly on principle route	Strategic	Manage the highway service in the interest of customers	NHT Overall Satisfaction score KBI.		↻	
	Strategic/Tactical/Operational	Respond in an effective and timely manner to customer enquiries within specified timescales	Percentage of customer enquiries replied to within the specified timescale		↻	
	Strategic	Consider customer requirements when planning maintenance	NHT Overall Satisfaction score KBI.		↻	
	Strategic	Minimise disruption caused by severe winter weather	NHT Overall Satisfaction score KBI.		↻	
	Operational		Score from Single Data set Ref 251 – 01; salt stock holdings		↻	
R & G Objectives	Reporting Level	Level of Service Statement	Performance Measures	Current position 2016/17	Performance Target 2017/18	Actual 2017/18
Economy & Regeneration Ensure value for money whilst supporting social regeneration and economic growth.	Strategic	Minimise disruption and inconvenience caused by essential planned maintenance	NHT Customer satisfaction - Experience of congestion		↻	
	Strategic		NHT Customer satisfaction with the frequency of roadworks		↻	
	Operational	Respond to emergencies as quickly as possible and within specific maximum timescales	Percentage of incident responses within the required timescales		↻	

R & G Objectives	Reporting Level	Level of Service Statement	Performance Measures	Current position 2016/17	Performance Target 2017/18	Actual 2017/18
Condition Ensure Highways Assets are maintained to a high, functioning, efficient standard that is fit for purpose	Strategic, Tactical	Maintain and Improve condition of Assets	Percentage of Principal roads where maintenance should be considered		⬇️	
	Strategic, Tactical		Percentage of Non - Principal roads where maintenance should be considered		⬇️	
	Strategic, Tactical		Percentage of Unclassified roads where maintenance should be considered		⬇️	
	Strategic, Tactical		Percentage of Footways where maintenance should be considered		⬇️	
	Strategic, Tactical		Percentage of structures with BSCI average condition score between 80 and 90.		⬇️	
	Tactical+Operational		Percentage of street lights not working as expected		⬇️	
	Tactical+Operational		Percentage of Traffic Signals not working as expected		⬇️	
	Operational		Number of reported blocked drainage gullies		⬇️	
	Operational		Number of reported 'Highway tree' incidents		⬇️	
	Strategic	Effective Highway Maintenance interventions improving condition of Highways	NHT Customer satisfaction score for Highways Maintenance KBI		↕️	
R & G Objectives	Reporting Level	Level of Service Statement	Performance Measures	Current position 2016/17	Performance Target 2017/18	Actual 2017/18
Sustainability Promote sustainable travel to reduce congestion minimising carbon emissions.	Strategic	Manage carbon consumption	NHT Customer satisfaction score Tackling Congestion KBI		↕️	
	Strategic	Manage Air quality	Level of CO ² emissions originating from road transport		⬇️	
R & G Objectives	Reporting Level	Level of Service Statement	Performance Measures	Current position 2016/17	Performance Target 2017/18	Actual 2017/18
Accessibility Provide and maintain suitable access for all users of the network.	Strategic	Manage network accessibility for all users	NHT Customer satisfaction score for Accessibility KBI		↕️	
	Strategic		NHT Customer satisfaction score for Walking/Cycling KBI		↕️	
	Strategic		Km of cycle lane facilities		↕️	

Appendix C. Winter Maintenance

Map of Sandwell's Winter Maintenance Priority One gritting routes



Appendix D. Defect Categories

The following are examples of highway defects together with a description of those classed as **Category 1** or **Category 2**

The list is not exhaustive and the Highway Inspector will need to use their judgement as to what is likely to be hazardous. The examples may be reviewed in relation to the national "Well Managed Highway Infrastructure – A Code of Practice"

Carriageways

Defect	Category 1	Category 2	Additional advice
<u>Pothole</u> (sharp edged vertical trip)	Greater than 20mm deep within pedestrian crossings and cycle lanes. Greater than 40mm deep elsewhere.	Less than 20mm deep within a pedestrian crossing. Up to but not exceeding 40mm deep elsewhere.	
<u>Surface Defects</u> Spalling ** Depressions ** Rutting ** Gap/crack ** Sunken ironwork **			** Undertake an on-site risk assessment to determine the degree of risk
<u>Debris, spillage, contamination:</u> Constituting a hazard on straight sections of road, bends, roundabouts and junctions **			** Undertake an on-site risk assessment to determine the degree of risk

<u>Drainage covers etc.:</u> Defective gully grates, manholes, service covers etc. constituting a hazard, especially for powered 2 wheeled vehicles and cyclists	Missing or collapsed covers. Broken gully grates, manholes, service covers etc. Raised or low gully grates, manhole/ service covers. Displaced gully grates or manhole covers		Utility defect should be dealt with under NRSWA Section 81
<u>Surface water:</u> Ponding/discharging across highway.** Constituting a hazard of aquaplaning, vehicle avoidance measures or skidding, and requires signing and guarding** Minor discharge across the carriageway.** Excessive standing water on the footway / carriageway**			** Undertake an on-site risk assessment to determine the degree of risk Where applicable serve notice to landowner. During Winter, maintenance manager needs to be informed.

Footways

Defect	Category 1	Category 2	Additional advice
<u>Pothole</u>	Greater than 20mm deep including on dedicated cycleway	Less than 20mm deep or greater than 20mm on dedicated cycleway	
<u>Trip hazards</u>			
Crack in surface Raised/damaged	Greater than 20mm vertical		** Tree Root – Seek Advice

paving slab	movement	Less than 20mm vertical movement	from Urban Forestry Team
Trip/pothole	Open joint/cracks 20mm width	Open joint/cracks less than 20mm width	
Rocking slab/block			
Tree root damage **			
Sunken ironwork			
<u>Kerbing</u>			
Damaged, rocking, missing or dislodged kerbs.	Creating trip hazard greater than 20mm vertically.		


Verges/Visibility

Defect	Category 1	Category 2	Additional advice
Overgrown verges/vegetation or obstruction at road junctions and roundabouts	Visibility at junctions and roundabouts severely restricted.	Visibility at junctions and roundabouts partially restricted.	
Overgrown verges / vegetation or obstruction to footway	Footway impassable		

Traffic signs, Road Markings, Street Lighting and Street Furniture

Defect	Category 1	Category 2	Additional advice
<u>Signs</u>	<p>Damaged or missing Stop or Give Way Sign</p> <p>Loose sign face</p> <p>In danger of falling on pedestrian, or falling into carriageway – refer to highway safety inspector</p> <p>Faded or missing other mandatory road markings</p> <p>Vegetation overhanging mandatory signs</p>	<p>Obscured, faded or dirty sign face</p> <p>Damaged or missing advance Give Way sign</p>	
<u>Street Lighting</u> <p>ALL ELECTRICAL HAZARDS MUST BE REPORTED IMMEDIATELY TO STREET LIGHTING TEAM</p>	<p>Lighting column or illuminated sign knocked down.</p> <p>Exposed live electrical wiring;</p> <p>Lighting column or illuminated sign damaged.</p> <p>Lighting column or illuminated sign inspection door loose or missing.</p> <p>Illuminated bollard damaged, missing or unlit.</p>		<p>Refer to Street Lighting Team</p>

<u>Traffic Signals</u> ALL SIGNAL DAMAGE MUST BE REPORTED TO HIGHWAY SERVICES	Exposed live electrical wiring; Seriously damaged or defective traffic signals; Inoperable traffic signals	Minor damage	
<u>Fencing / Barriers</u>	Causing obstruction of carriageway or footway. Damaged or missing temporary barriers or signs at road works (refer to NRSWA guidance) Damaged or missing vehicle safety barriers Damaged or missing pedestrian barrier/guardrail or fencing**		** Undertake an on-site risk assessment to determine the degree of risk



© Atkins Ltd except where stated otherwise.

The Atkins logo, 'Carbon Critical Design' and the strapline
'Plan Design Enable' are trademarks of Atkins Ltd.